

**MP Biomedicals, LLC**29525 Fountain Parkway
Solon, Ohio 44139Telephone: 440/337-1200
Toll Free: 800/854-0530Fax: 440/337-1180
web: www.mpbio.com

Certificate of Analysis

Product Description: Bis-Tris Propane**Catalog Number:** 180943**Lot:** Q4252**Formula:** $C_{11}H_{26}N_2O_6$ **CAS #:** 64431-96-5**Physical Description:** White Crystalline Powder**Formula Weight:** 282.34**Storage:** 15-30°C

Test	Specification	Result
Identity Test (FTIR)	Conforms to reference	Conforms to reference
Purity	#99.0%	100.10%
Solution (0.1 M in water)	Clear and colorless	Clear and colorless
UV (0.1M in water) 280 nm 400 nm	≤0.15 ≤0.50	0.043 0.010
Melting Point	162 – 165°C	162 – 165°C
Loss on drying	#1%	0.18%
pH (1% aq soln)	10.4 – 11.0	10.8
Recommended Retest Date	MM/DD/YEAR	12/04/2018

05/26/2016 - John Huang, PhD

MP Biomedicals, LLC.

Quality Control Manager

This is an electronically generated document

<mailto:biotech@mpbio.com>

<http://www.mpbio.com>

Online Ordering, MSDSs, certificates of analysis and data sheets now available on our web site

Technical Service: 1-800-279-5490 (440-337-1200) Customer Service: 1-800-854-0530 (440-337-1200)