


## TECHNICAL INFORMATION

Catalog Number: 104658, 194525, 196035

### Actinomycin D

#### Structure:



**Molecular Formula:** C<sub>62</sub>H<sub>86</sub>N<sub>12</sub>O<sub>16</sub>

**Formula Weight:** 1255.5

**CAS #:** 50-76-0

**Synonym:** Dactinomycin; Actinomycin D; actinomycin-[thr-val-pro-sar-meval]; meractinomycin; actinomycin AIV; actinomycin IV; actinomycin C1; actinomycin X1; NSC-3053; Cosmegen

**Physical Appearance:** Red-orange to red powder

**Source:** *Streptomyces parvalus*

**Description:** Potent apoptosis inducer. Antineoplastic antibiotic. Inhibits DNA-primed RNA polymerase and DNA polymerase.

**Suggested Concentration for Use:** 1 ug/ml

**Purity:** >99%

**Solubility:** Soluble in methanol (10 mg/ml - clear, orange solution), soluble in DMSO (50 mg/ml-clear, orange solution), ethanol, chloroform, benzene, ethyl acetate, propylene glycol, chloroform, acetone, water + glycol mixtures. Decomposed by strong acids, light. Solutions can be aliquoted and stored at -20°C for about 3 months.

#### References:

- Merck Index, **12th Ed.**, No. 2867.
- Ann. N.Y. Acad. Sci., v. **89**, 285-485 (1960)
- Manaker et al., *Antibiot. Ann.*, v. **1954/55**, 853
- Bullock, Johnson, *J. Chem. Soc.*, v. **1957**, 3280.
- Brockmann, Manegold, *Naturwiss.*, v. **51**, 383 (1964)
- Brockmann, Lackner, *ibid.*, v. **384**, 435 (1964)
- Brockmann et al., Ger. pat. 1,172,680 (1964 to Bayer)
- Meienhofer, *J. Am. Chem. Soc.*, v. **92**, 3771 (1970)
- T. Tanaka et al., *Bull. Chem. Soc. Japan*, v. **53**, 1352 (1980)
- K. Nakajima et al., *Pept. Chem.*, v. **19**, 143-148 (1981).
- Conti, DeSantis, *Nature*, v. **227**, 1239 (1970)

- Lackner, *Ber.*, v. **104**, 3653 (1971).
- F. S. Philips et al., *Ann. N.Y. Acad. Sci.*, v. **89**, 348 (1960).
- *IARC Monographs*, v. **12**, 29-41 (1976).