

Printing date 08/24/2020 Reviewed on 08/19/2020

#### 1 Identification

- · Product identifier
- · Trade name: Trace Element Solution 1 (1000×)
- · Article number: 1676549
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com
- · Information department: Quality Control Department
- Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements

Harmful if swallowed.

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

## Safety Data Sheet acc. to OSHA HCS

Printing date 08/24/2020 Reviewed on 08/19/2020

Trade name: Trace Element Solution 1 (1000×)

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture of substances listed below with nonhazardous additions.

Mixture: consisting of the following components.

· Dangerous components: Void

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Never give anything by mouth to an unconscious person. Rinse mouth with water. If symptoms persist consult a Doctor.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

US

Printing date 08/24/2020 Reviewed on 08/19/2020

Trade name: Trace Element Solution 1 (1000×)

(Contd. of page 2)

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically, dispose contaminated material as waste according to Section 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	cuon oracia joi onemicais	
	Zinc Sulfate heptahydrate	27 mg/m³
10102-18-8	Sodium Selenite	1.3 mg/m <sup>2</sup>
7758-99-8	Cupric Sulfate Pentahydrate	12 mg/m³
· PAC-2:		•
7446-20-0	Zinc Sulfate heptahydrate	170 mg/m <sup>2</sup>
10102-18-8	Sodium Selenite	2.3 mg/m <sup>3</sup>
7758-99-8	Cupric Sulfate Pentahydrate	32 mg/m³
· PAC-3:		
7446-20-0	Zinc Sulfate heptahydrate	1,000 mg/m <sup>2</sup>
10102-18-8	Sodium Selenite	$3.1 \text{ mg/m}^3$
7758-99-8	Cupric Sulfate Pentahydrate	$190 \text{ mg/m}^3$

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid direct contect with skin. Use protective clothing including gloves, lab coat, face/eye protection.

- · Information about protection against explosions and fires: No special requirements.
- · Conditions for safe storage, including any incompatibilities
- · Storage: 2-8°C
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions:
- $\cdot$  *Specific end use*(s) *No further relevant information available.*

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Printing date 08/24/2020 Reviewed on 08/19/2020

Trade name: Trace Element Solution 1 (1000×)

(Contd. of page 3)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

· pH-value:

Form: Solution Color: Light yellow · Odor: Indeterminate · Odor threshold: Not determined. Not determined.

· Change in condition

Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not determined.

(Contd. on page 5)

Printing date 08/24/2020 Reviewed on 08/19/2020

Trade name: Trace Element Solution 1 (1000×)

		(Contd. of page
· Auto igniting:	Product is not selfigniting.	
Danger of explosion:	See section 10	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
· Vapor pressure:	Not Applicable	
Density:	Not Applicable	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with	Not Determined	
Water:	Not determined.	
	Insoluble.	
Partition coefficient (n-octanol/wa	t <b>ter):</b> Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	99.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:		
7446	-20-0 Z	linc Sulfate heptahydrate
Oral	LD50	200 mg/kg (mouse)
		1,260 mg/kg (rat)

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.

(Contd. on page 6)

Printing date 08/24/2020 Reviewed on 08/19/2020

Trade name: Trace Element Solution 1 (1000×)

(Contd. of page 5)

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

10102-18-8 Sodium Selenite

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.

7 4 7			C
	TOME	nort in	formation
	LIWIUS	וווו וווטע	<i>  Ul III ull Ull</i>

- · UN-Number
- · DOT, ADR, ADN, IMDG, IATA Not regulated
- · UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA Not regulated

(Contd. on page 7)

Printing date 08/24/2020 Reviewed on 08/19/2020

Trade name: Trace Element Solution 1 (1000×)

		(Contd. of page 6
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Not regulated	
· Packing group · DOT, ADR, IMDG, IATA	Not regulated	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.	
· UN "Model Regulation":	Not regulated	

Safety, health and environmental regulations/legislation specific for the st	ubstance or mixture
· Sara	
· Section 355 (extremely hazardous substances):	
10102-18-8 Sodium Selenite	
Section 313 (Specific toxic chemical listings):	
10102-18-8 Sodium Selenite	
TSCA (Toxic Substances Control Act):	
7732-18-5 Water	ACT
10102-18-8 Sodium Selenite	ACT
· Hazardous Air Pollutants	·
10102-18-8 Sodium Selenite	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	

· Carcinogenic categories

· EPA (Environmental Protection Agency)

10102-18-8 Sodium Selenite

D

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

(Contd. of page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/24/2020 Reviewed on 08/19/2020

Trade name: Trace Element Solution 1 (1000×)

#### · Hazard pictograms



- · Signal word Warning
- · Hazard statements

Harmful if swallowed.

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 08/24/2020 / -
- · Abbreviations and acronyms:

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

US