

Printing date 03/19/2019

Reviewed on 11/15/2017

1 Identification

- · Product identifier
- · Trade name: <u>2-Mercaptoethanol</u>
- Article number: 190242
- · CAS Number:
- 60-24-2
- EC number:
- 200-464-6
- · Molecular Formula C2 H6 O S
- Molecular Weight 78.13
- · Application of the substance / the mixture For Research Use Only

 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: MP Biomedicals, LLC
 29525 Fountain Parkway
 Solon, OH 44139
 United States
 www.mpbio.com

• Information department: Quality Control Department • Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture GHS06 Skull and crossbones Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 2 H310 Fatal in contact with skin. Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Flam. Liq. 4 H227 Combustible liquid. · Label elements • GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2) US

US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/19/2019

Reviewed on 11/15/2017

Trade name: 2-Mercaptoethanol

(Contd. of page 1) · Hazard pictograms GHS05 GHS06 GHS07 GHS · Signal word Danger · Hazard-determining components of labeling: 2-mercaptoethanol · Hazard statements *Combustible liquid.* Toxic if swallowed or if inhaled. Fatal in contact with skin. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements *Keep away from flames and hot surfaces. – No smoking.* Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 4Fire = 2Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *4 Health = *42 FIRE Fire = 2Reactivity = 0REACTIVITY 0 (Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/19/2019

Reviewed on 11/15/2017

Trade name: 2-Mercaptoethanol

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 60-24-2 2-mercaptoethanol
- · Identification number(s)
- EC number: 200-464-6

4 First-aid measures

· Description of first aid measures

• General information:

Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area. Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

- If breathed in, supply fresh air. If not breathing, give artificial respiration. Consult a Doctor.
- After skin contact: Wash off with soap and plenty of water. Consult a Doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

(Contd. on page 4)

⁻ US

Printing date 03/19/2019

Reviewed on 11/15/2017

Trade name: 2-Mercaptoethanol

	(Contd. of page 3)
Pick up mechanically, dispose contaminated material as waste according to Section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
	0.6 ppm
· PAC-2:	
	3.5 ppm
· PAC-3:	
	29 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Avoid direct contact with skin and eyes. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: 15-30°C
- Requirements to be met by storerooms and receptacles: No special requirements.
- Further information about storage conditions:
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

60-24-2 2-mercaptoethanol

WEEL Long-term value: 0.2 ppm Skin

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin. Avoid contact with the eyes and skin.

(Contd. on page 5)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/19/2019

Reviewed on 11/15/2017

Trade name: 2-Mercaptoethanol

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information		
Appearance:	T · · · I	
Form: Color:	Liquid Colorless	
Cotor: Odor:	Lotoriess Indeterminate	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
Vapor pressure:	Not Applicable	
Density:	Not Applicable	

— Ú

Printing date 03/19/2019

Reviewed on 11/15/2017

Trade name: 2-Mercaptoethanol

		(Contd. of page 5
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with	Not Determined	
· Water:	Soluble.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gl	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

DermalLD50112 mg/kg (rabbit)InhalativeLC50/4 h2 mg/L (rat)

60-24-2 2-mercaptoethanol

Oral	LD50	190 mg/kg (mouse)
		162 mg/kg (rat)
Dermal	LD50	190 mg/kg (mouse) 162 mg/kg (rat) 112 mg/kg (rabbit)
Inhalative	LC50/4 h	13,200 mg/L (mouse)
		2 mg/L (rat)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

(Contd. on page 7)

US

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/19/2019

Reviewed on 11/15/2017

Trade name: 2-Mercaptoethanol

·NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:

ATE (Acute Toxicity Estimate)

Oral LC50/96 h 46-100 mg/L (Leuciscus idus)

60-24-2 2-mercaptoethanol

Oral LC50/96 h 46-100 mg/L (Leuciscus idus)

· Persistence and degradability No further relevant information available.

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleaning agents.

· UN-Number	
· DOT, ADR, IMDG, IATA	UN2966
· UN proper shipping name	
$\cdot DOT$	Thioglycol
·ADR	2966 Thioglycol, ENVIRONMENTALLY HAZARDOUS
· IMDG, IATA	THIOGLYCOL

Printing date 03/19/2019

Reviewed on 11/15/2017

Trade name: 2-Mercaptoethanol

	(Co	ontd. of page
Transport hazard class(es)		
DOT		
Class Label	6.1 Toxic substances 6.1	
ADR		
· Class · Label	6.1 Toxic substances 6.1	
IMDG, IATA		
· Class · Label	6.1 Toxic substances 6.1	
Packing group DOT, ADR, IMDG, IATA	II	
· Environmental hazards: · Special marking (ADR):	Symbol (fish and tree)	
Special precautions for user	Warning: Toxic substances	
· Danger code (Kemler):	60 F-A,S-A	
· EMS Number: · Stowage Category	Г-А, 5-А А	
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	II of Not applicable.	
Transport/Additional information:		
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L	
ADR Excepted quantities (EQ)	Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml	
IMDG Limited quantities (LQ)	100 ml	
	(Co	ntd. on page

Printing date 03/19/2019

Reviewed on 11/15/2017

Trade name: 2-Mercaptoethanol

	(Contd. of page 8)
· Excepted quantities (EQ)	Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2966 THIOGLYCOL, 6.1, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- Section 355 (extremely hazardous substances):
- Substance is not listed.
- · Section 313 (Specific toxic chemical listings):
- Substance is not listed.
- · TSCA (Toxic Substances Control Act):
- Substance is listed.
- · Proposition 65
- \cdot Chemicals known to cause cancer:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
- · Chemicals known to cause developmental toxicity:
- Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH)
- Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- Substance is not listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



- · Signal word Danger
- · Hazard-determining components of labeling:
- 2-mercaptoethanol
- · Hazard statements
- Combustible liquid.

US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/19/2019

Reviewed on 11/15/2017

Trade name: 2-Mercaptoethanol

	(Contd. of page 9)
Toxic if swallowed or if inhaled.	
Fatal in contact with skin.	
Causes skin irritation.	
Causes serious eye damage.	
May cause an allergic skin reaction.	
May cause damage to organs through prolonged or repeated exposure.	
· Precautionary statements	
Keep away from flames and hot surfaces. – No smoking.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Do not get in eyes, on skin, or on clothing.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
If on skin: Wash with plenty of water.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Call a poison center/doctor.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	and easy to do.
Continue rinsing.	
Get medical advice/attention if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	<i>s</i> .
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 03/19/2019 / -

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health (Contd. on page 11)

[•] Abbreviations and acronyms:

Printing date 03/19/2019

Reviewed on 11/15/2017

Trade name: 2-Mercaptoethanol

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin sens. 1: Skin sensitisation – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 (Contd. of page 10)

US –