

Printing date 04/16/2019 Reviewed on 04/16/2019

1 Identification

- · Product identifier
- · Trade name: Sodium Dodecyl Sulfate
- · Article number: 190522
- CAS Number: 151-21-3
- **EC** number: 205-788-1
- · Molecular Formula C12 H25 O4 S Na
- · Molecular Weight 288.4
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com
- · Information department: Quality Control Department
- · Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02 GHS05

GHS07

· Signal word Danger

(Contd. on page 2)

Printing date 04/16/2019 Reviewed on 04/16/2019

Trade name: Sodium Dodecyl Sulfate

(Contd. of page 1)

· Hazard-determining components of labeling:

Sodium Dodecyl Sulfate, Molecular Biology Reagent

· Hazard statements

Flammable solid.

Harmful if swallowed or if inhaled.

Causes skin irritation.

Causes serious eye damage.

May cause respiratory irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 3

Reactivity = 3

· HMIS-ratings (scale 0 - 4)



Fire = 3

REACTIVITY 3 Reactivity = 3

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

151-21-3 Sodium Dodecyl Sulfate, Molecular Biology Reagent

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/16/2019 Reviewed on 04/16/2019

Trade name: Sodium Dodecyl Sulfate

· Identification number(s)

· EC number: 205-788-1

4 First-aid measures

- · Description of first aid measures
- · General information:

Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. If breathed in, supply fresh air. If not breathing, give artificial respiration. Consult a Doctor.

- · After skin contact: Wash off with soap and plenty of water. Consult a Doctor.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Never give anything by mouth to an unconscious person. Rinse mouth with water. If symptoms persist consult a Doctor.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Use neutralizing agent.

Pick up mechanically, dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

 $3.9 \, mg/m^3$

· PAC-2:

 43 mg/m^3

(Contd. on page 4)

Printing date 04/16/2019 Reviewed on 04/16/2019

Trade name: Sodium Dodecyl Sulfate

(Contd. of page 3)

· *PAC-3*:

 $260 \, mg/m^3$

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace. Avoid direct contact with skin and eyes.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage: 15-30°C
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions:
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 04/16/2019 Reviewed on 04/16/2019

Trade name: Sodium Dodecyl Sulfate

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder Color: White

Odor: IndeterminateOdor threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Product is not flammable.

· Decomposition temperature: Not determined.

· Auto igniting: Not determined.

· Danger of explosion: Not determined.

· Explosion limits:

Lower:Not ApplicableUpper:Not Applicable

· Vapor pressure: Not applicable.

Density: Not Applicable
Relative density Not determined.
Vapor density Not applicable.
Evaporation rate Not applicable.

Solubility in / Miscibility with
 Water:
 Not Determined
 Partly soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic:Not applicable.Kinematic:Not applicable.VOC content:0.00 %

Solids content: 100.0 %

• Other information No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)

Printing date 04/16/2019 Reviewed on 04/16/2019

Trade name: Sodium Dodecyl Sulfate

(Contd. of page 5)

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acute Toxicity Estimate)

Dermal	LD50	580 mg/kg (rabbit)
Inhalative	LC50/4 h	1.5 mg/L

151-21-3 Sodium Dodecyl Sulfate, Molecular Biology Reagent

Oral	LD50	1,200 mg/kg (rat)
Dermal	LD50	580 mg/kg (rabbit)
Inhalative	LC50/4 h	1.5 mg/L (ATE)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

	4	. •		•	• .	
٠	Aa	uatic	tox	CLC	utv:	

ATE (Acute Toxicity Estimate)

Oral LC50 / 96 h 4.3-8.5 mg/L (Oncorhynchus mykiss)

151-21-3 Sodium Dodecyl Sulfate, Molecular Biology Reagent

		* * .	
Oral	LC50 / 96 h	4.3-8.5 mg/L (Oncorhynchus	mykiss)
		29 mg/L (Pimephales promelo	as)

· Persistence and degradability No further relevant information available.

(Contd. on page 7)

Printing date 04/16/2019 Reviewed on 04/16/2019

Trade name: Sodium Dodecyl Sulfate

(Contd. of page 6)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleaning agents.

-		4 4						c		- 1	•
- 11	24		ran	707	101	~	F 7 F	\boldsymbol{r}	200	m	ion
и	_	-	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ינתו	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	$\boldsymbol{\nu}$,,,	w		1999	
							•				

· UN-Number · DOT, ADR, IMDG, IATA	UN1325
· UN proper shipping name	
$\cdot DOT$	Flammable solids, organic, n.o.s. (Sodium Dodecyl Sulfate,
	Molecular Biology Reagent)
$\cdot ADR$	1325 FLAMMABLE SOLID, ORGANIC, N.O.S. (Sodium Dodecyl
	Sulfate, Molecular Biology Reagent), ENVIRONMENTALLY
	HAZARDOUS
\cdot $IMDG$	FLAMMABLE SOLID, ORGANIC, N.O.S. (Sodium Dodecyl Sulfate,
	Molecular Biology Reagent), MARINE POLLUTANT
· IATA	FLAMMABLE SOLID, ORGANIC, N.O.S. (Sodium Dodecyl Sulfate,
	Molecular Biology Reagent)

- · Transport hazard class(es)
- $\cdot DOT$



• Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives

(Contd. on page 8)

Printing date 04/16/2019 Reviewed on 04/16/2019

Trade name: Sodium Dodecyl Sulfate

(Contd. of page 7) · Label 4.1 · ADR, IMDG · Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives · Label 4.1 \cdot IATA · Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives · Label 4.1 · Packing group · DOT, ADR, IMDG, IATA III · Environmental hazards: Yes (DOT) · Marine pollutant: Symbol (fish and tree) Symbol (fish and tree) · Special marking (ADR): · Special precautions for user Warning: Flammable solids, self-reactive substances and solid desensitised explosives · EMS Number: F-A,S-G· Stowage Category B· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: $\cdot DOT$ On passenger aircraft/rail: 25 kg · Quantity limitations On cargo aircraft only: 100 kg · Remarks: Special marking with the symbol (fish and tree). $\cdot ADR$ · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g · IMDG 5 kg· Limited quantities (LQ) · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g (Contd. on page 9)

Printing date 04/16/2019 Reviewed on 04/16/2019

Trade name: Sodium Dodecyl Sulfate

(Contd. of page 8)

· UN "Model Regulation":

UN 1325 FLAMMABLE SOLID, ORGANIC, N.O.S. (SODIUM DODECYL SULFATE, MOLECULAR BIOLOGY REAGENT), 4.1, III, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Sodium Dodecyl Sulfate, Molecular Biology Reagent

· Hazard statements

Flammable solid.

Printing date 04/16/2019 Reviewed on 04/16/2019

Trade name: Sodium Dodecyl Sulfate

(Contd. of page 9)

Harmful if swallowed or if inhaled.

Causes skin irritation.

Causes serious eye damage.

May cause respiratory irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 04/16/2019 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Sol. 1: Flammable solids - Category 1

Acute Tox. 4: Acute toxicity - Category 4

(Contd. on page 11)

Printing date 04/16/2019 Reviewed on 04/16/2019

Trade name: Sodium Dodecyl Sulfate

(Contd. of page 10)

 $Skin\ Irrit.\ 2:\ Skin\ corrosion/irritation-Category\ 2$

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3