

Printing date 06/20/2019

Reviewed on 06/20/2019

1 Identification

- · Product identifier
- · Trade name: <u>n-Butanol, molecular biology reagent</u>
- · Article number: 194001
- · CAS Number:
- 71-36-3
- *EC number:* 200-751-6
- Index number: 603-004-00-6
- Molecular Formula C4 H10 O
- Molecular Weight 74.12
- Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com
- *Information department: Quality Control Department* • *Emergency telephone number:* CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. · Label elements • GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 GHS02 GHS07

(Contd. on page 2)

US

Printing date 06/20/2019

Reviewed on 06/20/2019

Trade name: n-Butanol, molecular biology reagent

Signal word Danger	(Contd. of page
Hazard-determining components of labeling:	
n-butanol	
Hazard statements	
Flammable liquid and vapor.	
Harmful if swallowed.	
Causes skin irritation.	
Causes serious eye damage.	
May cause respiratory irritation. May cause drowsiness or dizziness.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Wash inoroughly after nanaling. Do not eat, drink or smoke when using this product.	
<i>Use only outdoors or in a well-ventilated area.</i>	
•	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	ulah awan
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wate	risnower.
<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>	с <u>, 1</u> , 1
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, i	f present and easy to ac
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international r	egulations.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 3	
$\frac{3}{Fire = 3}$	
$\begin{array}{c} 3 \\ \end{array} \begin{array}{c} 0 \\ Reactivity = 0 \end{array}$	
Keucuvity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE 3 $Fire = 3$	
$\frac{1}{\text{REACTIVITY}[0]} Reactivity = 0$	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
<i>vPvB:</i> Not applicable.	

(Contd. on page 3)

US

Printing date 06/20/2019

Reviewed on 06/20/2019

Trade name: n-Butanol, molecular biology reagent

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 71-36-3 n-butanol
- · Identification number(s)
- EC number: 200-751-6
- Index number: 603-004-00-6

4 First-aid measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area.

- After inhalation: If breathed in, supply fresh air. If not breathing, give artificial respiration. Consult a Doctor.
- After skin contact: Wash off with soap and plenty of water. Consult a Doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Never give anything by mouth to an unconscious person. Rinse mouth with water. If symptoms persist consult a Doctor.

- · Information for doctor
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Pick up mechanically, dispose contaminated material as waste according to Section 13. Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

⁻ US

Printing date 06/20/2019

Reviewed on 06/20/2019

Trade name: n-Butanol, molecular biology reagent

· Protective Action Criteria for Chemicals	(Contd. of page 3)
The cive Action Chief a for Chemicais	
· PAC-1:	
	60 ppm
· PAC-2:	
	800 ppm
· PAC-3:	
	8000** ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Avoid direct contact with skin and eyes. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- *Storage:* 15-30°C
- Requirements to be met by storerooms and receptacles: No special requirements.
- Further information about storage conditions: Store in nitrogen.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see Section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

71-36-3 n-butanol

- PEL Long-term value: 300 mg/m³, 100 ppm
- *REL Ceiling limit value: 150 mg/m³, 50 ppm* Skin
- TLV Long-term value: 61 mg/m³, 20 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/20/2019

Reviewed on 06/20/2019

Trade name: n-Butanol, molecular biology reagent

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	
Appearance: Form:	Liquid
Color:	Colorless
Odor:	Indeterminate
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Boiling point/Boiling range:	Undetermined.
Flash point:	$\leq 60 \ ^{\circ}C \ (\leq 140 \ ^{\circ}F)$
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	340 °C (644 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	1.5 Vol %
Upper:	9.4 Vol %
Vapor pressure:	Not Applicable
Density:	Not Applicable
Relative density	Not determined.

- US

Printing date 06/20/2019

Reviewed on 06/20/2019

Trade name: n-Butanol, molecular biology reagent

		(Contd. of page 5
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with	Not Determined	
· Water:	Not determined.	
	Insoluble.	
· Partition coefficient (n-octanol/wa	t ter): Not determined.	
· Viscosity:		
Dynamic at 20 °C (68 °F):	2.95 mPas	
Kinematic:	Not determined.	
Organic solvents:	100.0 %	
VOC content:	100.00 %	
	1,000.0 g/l / 8.35 lb/gal	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 3,400 mg/kg (rabbit)

Inhalative LC50/4 h 790 mg/L (rat)

71-36-3 n-butanol

Dermal LD50 3,400 mg/kg (rabbit)

Inhalative LC50/4 h 790 mg/L (rat)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

(Contd. on page 7)

US

Printing date 06/20/2019

Reviewed on 06/20/2019

Trade name: n-Butanol, molecular biology reagent

(Contd. of page 6)

·NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:

ATE (Acute Toxicity Estimate)

Oral LC50/96 h 1,840 mg/L (Pimephales promelas)

71-36-3 n-butanol

Oral LC50 / 96 h 1,840 mg/L (Pimephales promelas)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

• Recommendation: Discard must be made according to official regulations.

· UN-Number		
· DOT, ADR, IMDG, IATA	UN1120	
· UN proper shipping name		
$\cdot DOT$	Butanols	
·ADR	1120 BUTANOLS	
· IMDG, IATA	BUTANOLS	

[·] Uncleaned packagings:

Printing date 06/20/2019

Reviewed on 06/20/2019

Trade name: n-Butanol, molecular biology reagent

	(Contd. of pa
Transport hazard class(es)	
DOT	
P. AMMARIE E LICUID	
3	
Class	3 Flammable liquids
Label	3 3
ADR, IMDG, IATA	
V	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, ADR, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	30
EMS Number:	3-06 A
Stowage Category	
Transport in bulk according to Annex A MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
Hazardous substance:	On cargo aircraft only: 220 L 3838 lbs, 28982 kg
ADR	
ADK Excepted quantities (EQ)	Code: El
(<u>2</u> ¢)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1120 BUTANOLS, 3, III

(Contd. on page 9)

Printing date 06/20/2019

Reviewed on 06/20/2019

Trade name: n-Butanol, molecular biology reagent

(Contd. of page 8)

ACTIVE

D

1	7		• (•	
INKO	oula	tory	Int	orma	non
$10 \mathrm{Me}$	Sum	Uly	ulu j	UI III W	

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

• TSCA (Toxic Substances Control Act):

· Hazardous Air Pollutants

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: n-butanol
Hazard statements Flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. May cause drowsiness or dizziness.
Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Printing date 06/20/2019

Reviewed on 06/20/2019

Trade name: n-Butanol, molecular biology reagent

(Contd. of page 9) Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Quality Control Dept.

· Date of preparation / last revision 06/20/2019 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3