

Reviewed on 08/02/2018

1 Identification

· Product identifier

· Trade name: Formaldehyde, ACS

· Article number: 194047 · CAS Number: 50-00-0 · Molecular Formula C H2 O · Molecular Weight 30.03

· Application of the substance / the mixture For Research Use Only

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com

· Information department: Quality Control Department

· Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 2 H351 Suspected of causing cancer. STOT SE 1 H370 Causes damage to organs.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 08/02/2018 Reviewed on 08/02/2018

Trade name: Formaldehyde, ACS

(Contd. of page 1)

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms











GHS02

GHS05

GHS06

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

Formaldehyde

Methanol

· Hazard statements

Flammable liquid and vapor.

Toxic if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of causing genetic defects.

Suspected of causing cancer.

Causes damage to organs.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/02/2018 Reviewed on 08/02/2018

Trade name: Formaldehyde, ACS

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3 Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture of substances listed below with nonhazardous additions.

Mixture: consisting of the following components.

· Dangerous components:				
	CAS: 50-00-0 EINECS: 200-001-8 RTECS: LP8925000	Formaldehyde	≥25-≤50%	
	CAS: 67-56-1 EINECS: 200-659-6 RTECS: PC1400000		10-50%	

4 First-aid measures

- · Description of first aid measures
- · General information:

Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

If breathed in, supply fresh air. If not breathing, give artificial respiration. Consult a Doctor.

- · After skin contact: Wash off with soap and plenty of water. Consult a Doctor.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 4)

Printing date 08/02/2018 Reviewed on 08/02/2018

Trade name: Formaldehyde, ACS

(Contd. of page 3)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Pick up mechanically, dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
50-00-0	Formaldehyde	0.90 ppm
67-56-1	Methanol	530 ppm
· PAC-2:		
50-00-0	Formaldehyde	14 ppm
67-56-1	Methanol	2,100 ppm
· PAC-3:		
50-00-0	Formaldehyde	56 ppm
67-56-1	Methanol	7200* ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Avoid direct contact with skin and eyes.

Open and handle receptacle with care.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 5)

Printing date 08/02/2018 Reviewed on 08/02/2018

Trade name: Formaldehyde, ACS

(Contd. of page 4)

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · **Storage:** 15-30°C
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

50-00-0 Formaldehyde

PEL Short-term value: 2 ppm

Long-term value: 0.75 ppm see 29 CFR 1910.1048(c)

REL Long-term value: 0.016 ppm

Ceiling limit value: 0.1* ppm *15-min; See Pocket Guide App. A

TLV Short-term value: 0.37 mg/m³, 0.3 ppm

Long-term value: 0.12 mg/m³, 0.1 ppm

DSEN; RSEN

67-56-1 Methanol

PEL Long-term value: 260 mg/m³, 200 ppm

REL Short-term value: 325 mg/m³, 250 ppm

Long-term value: 260 mg/m³, 200 ppm

Skin

TLV Short-term value: 328 mg/m³, 250 ppm

Long-term value: 262 mg/m³, 200 ppm

Skin; BEI

· Ingredients with biological limit values:

67-56-1 Methanol

BEI 15 mg/L

urine

end of shift

Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 6)

Printing date 08/02/2018 Reviewed on 08/02/2018

Trade name: Formaldehyde, ACS

(Contd. of page 5)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical	ana	cne	mical	prope	erties

- Information on basic physical and chemical properties
 General Information
- · Appearance:

Form: Solution
Color: Colorless

Odor: Indeterminate
Odor threshold: Not determined.

pH-value: Not determined.

· Change in condition

Boiling point/Boiling range: Undetermined.

• Flash point: 64 °C (147.2 °F)

· Flammability (solid, gaseous): Not applicable.

• Ignition temperature: ~300 °C (~572 °F)

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Not determined.

· Explosion limits:

 Lower:
 5.5 Vol %

 Upper:
 73 Vol %

(Contd. on page 7)

Printing date 08/02/2018 Reviewed on 08/02/2018

Trade name: Formaldehyde, ACS

		(Contd. of page
Vapor pressure at 20 °C (68 °F):	1.7 hPa (1.3 mm Hg)	
Density at 20 °C (68 °F):	1.09 g/cm³ (9.09605 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with	Not Determined	
Water:	Soluble.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	50.0 %	
Water:	50.0 %	
VOC content:	50.00 %	
	545.0 g/l / 4.55 lb/gl	
	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

<i>LD/LC50</i>	values that	t are relevant for classification:
ATE (Acu	te Toxicity	Estimate)
Oral	LD50	>510-527 mg/kg (rat)
Dermal	LD50	811 mg/kg
Inhalative	LC50/4 h	8.04 mg/L
50-00-0 F	ormaldehy	ode
Oral	LD50	>200 mg/kg (rat)
Dermal	LD50	300 mg/kg (ATE)
Inhalative	LC50/4 h	3 mg/L (ATE)
67-56-1 N	lethanol	
Oral	LD50	7,300 mg/kg (mouse)
		1,187-2,769 mg/kg (rat)

(Contd. on page 8)

Printing date 08/02/2018 Reviewed on 08/02/2018

Trade name: Formaldehyde, ACS

| Dermal | LD50 | 17,100 mg/kg (rabbit) | Inhalative | LC50/4 h | 128.2 mg/L (rat) | (Contd. of page 7)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)						
50-00-0 Formaldehyde	1					

· NTP (National Toxicology Program)

50-00-0 Formaldehyde

K

· OSHA-Ca (Occupational Safety & Health Administration)

50-00-0 Formaldehyde

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

 $Do \ not \ allow \ product \ to \ reach \ ground \ water, \ water \ course \ or \ sewage \ system.$

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

Printing date 08/02/2018 Reviewed on 08/02/2018

Trade name: Formaldehyde, ACS

(Contd. of page 8)

- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleaning agents.

Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN1198
· UN proper shipping name · DOT · ADR · IMDG, IATA	Formaldehyde solutions, flammable 1198 Formaldehyde solutions, flammable FORMALDEHYDE SOLUTION, FLAMMABLE
Transport hazard class(es) DOT	
TAMMOLE DOIR ORROSSIVE S	
· Class · Label	3 Flammable liquids 3, 8
· Class	3 Flammable liquids
· Label · IMDG	3+8
Class Label	3 Flammable liquids 3/8
IATA S S S S S S S S S S S S S	
· Class · Label	3 Flammable liquids 3 (8)
Packing group DOT, ADR, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No

(Contd. on page 10)

Printing date 08/02/2018 Reviewed on 08/02/2018

Trade name: Formaldehyde, ACS

(Contd. of page 9) · Special precautions for user Warning: Flammable liquids · EMS Number: F-E,S-C· Stowage Category A· Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · UN "Model Regulation": UN 1198 FORMALDEHYDE SOLUTIONS, FLAMMABLE, 3 (8), III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355	(extremely	hazardous	substances):
---------------	------------	-----------	--------------

50-00-0 Formaldehyde

· Section 313 (Specific toxic chemical listings):

50-00-0 Formaldehyde

67-56-1 Methanol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

50-00-0 Formaldehyde

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

67-56-1 *Methanol*

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

50-00-0 Formaldehyde

B1

· TLV (Threshold Limit Value established by ACGIH)

50-00-0 Formaldehyde

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

50-00-0 Formaldehyde

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 11)

Printing date 08/02/2018 Reviewed on 08/02/2018

Trade name: Formaldehyde, ACS

(Contd. of page 10)

· Hazard pictograms











GHS07

GHS06

Signal word Danger

· Hazard-determining components of labeling:

Formaldehyde

Methanol

· Hazard statements

Flammable liquid and vapor.

Toxic if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of causing genetic defects.

Suspected of causing cancer.

Causes damage to organs.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 08/02/2018 Reviewed on 08/02/2018

Trade name: Formaldehyde, ACS

(Contd. of page 11)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 08/02/2018 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2

Carc. 2: Carcinogenicity – Category 2

STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

US