08/07/2020	Kit Components
Product code	Description
7022100	MPure Blood DNA Extraction Kit 200
Components:	
7022210A	Proteinase K Solution
7022210B	Lysis Buffer 2
7022210F	Binding Buffer 1
7022126D	Magnetic Bead Solution

Washing Buffer 1

Washing Buffer 2

Elution Buffer 1

7022210H

7022210I 7022210J



Printing date 08/07/2020 Reviewed on 06/10/2020

1 Identification

- · Product identifier
- · Trade name: Proteinase K Solution
- · Article number: 7022210A
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com
- · Information department: Quality Control Department
- · Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Proteinase K

· Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

[In case of inadequate ventilation] wear respiratory protection.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a poison center/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 0Reactivity = 0

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Proteinase K Solution

· HMIS-ratings (scale 0 - 4)

HEALTH*1Health = *1FIRE0Fire = 0REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

· Dangerous components:			
CAS: 56-81-5	Glycerol	10-50%	
EINECS: 200-289-5			
CAS: 39450-01-6	Proteinase K	≥2.5-<10%	
EINECS: 254-457-8			

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- $\cdot \textit{After skin contact: } \textit{Generally the product does not irritate the skin.}$
- · After eye contact: Flush eyes with running water as a precaution.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Proteinase K Solution

(Contd. of page 2)

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically, dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
56-81-5 Glycerol	45 mg/m ³
· PAC-2:	
56-81-5 Glycerol	180 mg/m^3
· PAC-3:	
56-81-5 Glycerol	$1,100 \text{ mg/m}^3$

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Avoid direct contact with skin and eyes.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special requirements.
- · Conditions for safe storage, including any incompatibilities
- · **Storage:** 15-30°C
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions:
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

56-8 .	56-81-5 Glycerol				
	Long-term value: 15* 5** mg/m³				
	mist; *total dust **respirable fraction				
TLV	TLV withdrawn-insufficient data human occup. exp.				

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 4)

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Proteinase K Solution

(Contd. of page 3)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

Information on basic physical and chemical properties				
General Information				
Appearance:				
Form:	Solution			
Color:	According to product specification			
Odor:	Indeterminate			
Odor threshold:	Not determined.			
pH-value:	Not determined.			
Change in condition				
Boiling point/Boiling range:	Undetermined.			
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Not applicable.			
Decomposition temperature:	Not determined.			
Auto igniting:	Product is not selfigniting.			
Danger of explosion:	See section 10			
Explosion limits:				
Lower:	Not Applicable			
Upper:	Not Applicable			
Vapor pressure:	Not Applicable			
Density:	Not Applicable			
Relative density	Not determined.			
Vapor density	Not determined.			
Evaporation rate	Not determined.			
Solubility in / Miscibility with	Not Determined			
Water:	Soluble.			

(Contd. on page 5)

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Proteinase K Solution

(Contd. of page 4)

Viscosity:
 Dynamic:
 Kinematic:
 Not determined.
 Not determined.

· Solvent content:

Water: 45.0 % **VOC content:** 0.00 %

0.0 g/l / 0.00 lb/gal

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritant and potentially harmful
- · Sensitization: Sensitization possible through inhalation.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Proteinase K Solution

(Contd. of page 5)

- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleaning agents.

UN-Number	
DOT, ADR, IMDG, IATA	Not regulated
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated
Transport hazard class(es)	
DOT, ADR, IMDG, IATA	
Class	Not regulated
Packing group	
DOT, ADR, IMDG, IATA	Not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II o	f
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 7)

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Proteinase K Solution

(Contd. of page 6)

· TSCA (Toxic Substances Control Act):				
56-81-5	Glycerol	ACTIVE		
7732-18-5	Water	ACTIVE		

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Proteinase K

· Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

[In case of inadequate ventilation] wear respiratory protection.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a poison center/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Quality Control Dept.

(Contd. on page 8)

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Proteinase K Solution

· Date of preparation / last revision 08/07/2020 / - · Abbreviations and acronyms: Resp. Sens. 1: Respiratory sensitisation – Category 1

(Contd. of page 7)



Printing date 08/07/2020 Reviewed on 07/24/2020

1 Identification

· Product identifier

· Trade name: Lysis Buffer 2

· Article number: 7022210B

· Application of the substance / the mixture For Research Use Only

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com

· Information department: Quality Control Department

· Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Guanidine Hydrochloride

TRITON® X-100

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

· Precautionary statements

Wash thoroughly after handling.

(Contd. on page 2)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Lysis Buffer 2

(Contd. of page 1)

Do not eat, drink or smoke when using this product.

Wear protective gloves / eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture: consisting of the following components.

· Do	· Dangerous components:			
	AS: 50-01-1 INECS: 200-002-3	Guanidine Hydrochloride	10-50%	
EC	AS: 9002-93-1 C number: 618-344-0 TECS: MD0907700	TRITON® X-100	10-50%	

4 First-aid measures

- · Description of first aid measures
- · General information:

Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area.

- · After inhalation: If breathed in, supply fresh air. If not breathing, give artificial respiration. Consult a Doctor.
- · After skin contact: Wash off with soap and plenty of water. Consult a Doctor.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Never give anything by mouth to an unconscious person. Rinse mouth with water. If symptoms persist consult a Doctor.

(Contd. on page 3)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Lysis Buffer 2

(Contd. of page 2)

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Pick up mechanically, dispose contaminated material as waste according to Section 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

 $None\ of\ the\ ingredients\ is\ listed.$

· PAC-3:

None of the ingredients is listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid direct contect with skin. Use protective clothing including gloves, lab coat, face/eye protection.

- Information about protection against explosions and fires: No special requirements.
- · Conditions for safe storage, including any incompatibilities
- · **Storage:** 15-30°C
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions:
- · Specific end use(s) No further relevant information available.

US

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Lysis Buffer 2

(Contd. of page 3)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solution

Color: According to product specification

· Odor: Indeterminate · Odor threshold: Not determined.

· pH-value: Not determined.

(Contd. on page 5)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Lysis Buffer 2

		(Contd. of page
· Change in condition		
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	See section 10	
· Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
· Vapor pressure:	Not Applicable	
· Density:	Not Applicable	
· Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with	Not Determined	
· Water:	Soluble.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	45.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

us.

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Lysis Buffer 2

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

1100000					
· LD/LC5	· LD/LC50 values that are relevant for classification:				
,	ATE (Acute Toxicity Estimate)				
Oral	LD50	57 mg/kg			
50-01-1	Guani	idine Hydrochloride			
Oral	LD50	500 mg/kg (ATE)			
9002-93	9002-93-1 TRITON® X-100				
Oral	LD50	1,800 mg/kg (rat)			

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Dermal LD50 8,000 mg/kg (rabbit)

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

9002-93-1 TRITON® X-100

Oral LC50 / 96 h 8.9 mg/L (Pimephales promelas)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Lysis Buffer 2

· Other adverse effects No further relevant information available.

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleaning agents.

UN-Number DOT, ADR, IMDG, IATA	UN3082
UN proper shipping name	
DOT	Environmentally hazardous substance, liquid, n.o.s.
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIA
	N.O.S.
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIA
	N.O.S. (TRITON® X-100), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIA
	N.O.S.
Transport hazard class(es)	
DOT, ADR, IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles
Class Label	9 Miscellaneous dangerous substances and articles 9
Class Label Packing group	9
Class Label Packing group DOT, ADR, IMDG, IATA	· ·
Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards:	9 III
Class Label Packing group DOT, ADR, IMDG, IATA	9 III Yes (DOT)
Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant:	9 III Yes (DOT) Symbol (fish and tree)
Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR):	9 III Yes (DOT) Symbol (fish and tree) Symbol (fish and tree)
Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant:	9 III Yes (DOT) Symbol (fish and tree)
Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR):	9 III Yes (DOT) Symbol (fish and tree) Symbol (fish and tree)
Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA):	III Yes (DOT) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)

(Contd. on page 8)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Lysis Buffer 2

(Contd. of page 7)

· Transport/Additional information:

 $\cdot DOT$

• Quantity limitations On passenger aircraft/rail: No limit

On cargo aircraft only: No limit

• Remarks: Special marking with the symbol (fish and tree).

 $\cdot ADR$

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S., 9, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Lysis Buffer 2

· Hazard pictograms



GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Guanidine Hydrochloride

TRITON® X-100

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

· Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves / eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 08/07/2020 / -
- · Abbreviations and acronyms:

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

US



Printing date 08/07/2020 Reviewed on 06/10/2020

1 Identification

· Product identifier

· Trade name: Binding Buffer 1

· Article number: 7022210F

· Application of the substance / the mixture For Research Use Only

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com

· Information department: Quality Control Department

· Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Isopropyl Alcohol

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

(Contd. on page 2)

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Binding Buffer 1

(Contd. of page 1)

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 3

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

· Dangerous components:

CAS: 67-63-0 Isopropyl Alcohol

EINECS: 200-661-7 RTECS: NT8050000 50-90%

4 First-aid measures

- · Description of first aid measures
- · General information:

Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

(Contd. on page 3)

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Binding Buffer 1

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically, dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

1 / Olective	neuon Cinera joi Chemicais		
· PAC-1:			
67-63-0	Isopropyl Alcohol		400 ppm
631-61-8	Ammonium Acetate Anhydous		3.8 mg/m³
· PAC-2:			
67-63-0	Isopropyl Alcohol		2000* ppm
631-61-8	Ammonium Acetate Anhydous		42 mg/m³
· PAC-3:			
67-63-0	Isopropyl Alcohol	1	2000** ppm
631-61-8	Ammonium Acetate Anhydous	2	50 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Avoid direct contact with skin and eyes.

Prevent formation of aerosols.

(Contd. on page 4)

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Binding Buffer 1

(Contd. of page 3)

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · **Storage:** 15 30°C
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

67-63-0 Isopropyl Alcohol

PEL Long-term value: 980 mg/m³, 400 ppm

REL Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 984 mg/m³, 400 ppm

Long-term value: 492 mg/m³, 200 ppm

BEI

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Binding Buffer 1

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles

	rties
Information on basic physical and o	chemical properties
General Information	
Appearance:	**
Form:	Liquid
Color: Odor:	According to product specification Indeterminate
Ouor: Odor threshold:	Not determined.
pH-value:	Not determined.
-	ivoi ueiermineu.
Change in condition	**
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not Applicable
Upper:	Not Applicable
Vapor pressure:	Not Applicable
Density:	Not Applicable
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	Not Determined
Water:	Soluble.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal

US

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Binding Buffer 1

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 Isopropyl Alcohol

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

US

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Binding Buffer 1

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleaning agents.

1 4 7	A Committee of the Comm				. •
44	rang	nort	Thir	ormat	TOH
TT	Lulus	u	UIUJU) i iii uu	uon

	IJΝ	<i>Ι-</i> Λ	Jun	ıher
--	-----	-------------	-----	------

· DOT, ADR, IMDG, IATA

UN1219

· UN proper shipping name

 $\cdot DOT$

Isopropanol

 $\cdot ADR$

· IMDG, IATA

1219 ISOPROPANOL (ISOPROPYL ALCOHOL) ISOPROPANOL (ISOPROPYL ALCOHOL)

- · Transport hazard class(es)
- $\cdot DOT$



· Class · Label 3 Flammable liquids

· ADR, IMDG, IATA



· Class · Label *3 Flammable liquids*

· Packing group

· DOT, ADR, IMDG, IATA

II

· Environmental hazards:

Not applicable.

Warning: Flammable liquids

· Special precautions for user · Hazard identification number (Kemler code): 30

· EMS Number: · Stowage Category F-E,S-DВ

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

 $\cdot DOT$

· Quantity limitations

On passenger aircraft/rail: Forbidden On cargo aircraft only: Forbidden

(Contd. on page 8)

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Binding Buffer 1

	(Contd. of page 7
· ADR	
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· <i>IMDG</i>	
· Limited quantities (LQ)	0
· Excepted quantities (EQ)	Code: E0
• • • •	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 Isopropyl Alcohol

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- · Hazardous Air Pollutants
- None of the ingredients is listed.
- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

631-61-8 Ammonium Acetate Anhydous

D

- · TLV (Threshold Limit Value established by ACGIH)
- 67-63-0 Isopropyl Alcohol

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/07/2020 Reviewed on 06/10/2020

Trade name: Binding Buffer 1

· Hazard pictograms





GHS02

- · Signal word Danger
- · Hazard-determining components of labeling:

Isopropyl Alcohol

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 08/07/2020 / -
- · Abbreviations and acronyms:

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

HS



Printing date 08/07/2020 Reviewed on 05/27/2020

1 Identification

- · Product identifier
- · Trade name: Magnetic Bead Solution
- · Article number: 7022126D
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com
- · Information department: Quality Control Department
- Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

- · Classification of the substance or mixture
- The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture: consisting of the following components.

(Contd. on page 2)

Printing date 08/07/2020 Reviewed on 05/27/2020

Trade name: Magnetic Bead Solution

(Contd. of page 1)

· Dangerous components:

CAS: 67-63-0 Isopropyl Alcohol

EINECS: 200-661-7 RTECS: NT8050000 ≥2.5-<10%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Flush eyes with running water as a precaution.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· Trotective Action Criteria for Chemicals	
· PAC-1:	
67-63-0 Isopropyl Alcohol	400 ppm
· PAC-2:	
67-63-0 Isopropyl Alcohol	2000* ppm
· PAC-3:	
67-63-0 Isopropyl Alcohol	12000** ppm

- US

Printing date 08/07/2020 Reviewed on 05/27/2020

Trade name: Magnetic Bead Solution

(Contd. of page 2)

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special requirements.
- · Conditions for safe storage, including any incompatibilities
- · Storage: 15-30°C
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions:
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

67-63-0 Isopropyl Alcohol

PEL Long-term value: 980 mg/m³, 400 ppm

REL Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 984 mg/m³, 400 ppm

Long-term value: 492 mg/m³, 200 ppm

BEI

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

Printing date 08/07/2020 Reviewed on 05/27/2020

Trade name: Magnetic Bead Solution

(Contd. of page 3)

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Solution	
Color:	According to product specification	
Odor: Odor threshold:	Indeterminate Not determined.	
pH-value:	Not determined.	
Change in condition		
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	See section 10	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
Vapor pressure:	Not Applicable	
Density:	Not Applicable	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with	Not Determined	
Water:	Not determined.	
	Insoluble.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	95.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

Printing date 08/07/2020 Reviewed on 05/27/2020

Trade name: Magnetic Bead Solution

(Contd. of page 4)

· Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritant and potentially harmful
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 Isopropyl Alcohol

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Printing date 08/07/2020 Reviewed on 05/27/2020

Trade name: Magnetic Bead Solution

(Contd. of page 5)

· Uncleaned packagings:

· Recommendation: Discard must be made according to official regulations.

UN-Number		
DOT, ADR, IMDG, IATA	Not regulated	
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA		
Class	Not regulated	
Packing group		
DOT, ADR, IMDG, IATA	Not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 Isopropyl Alcohol

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 7)

Printing date 08/07/2020 Reviewed on 05/27/2020

Trade name: Magnetic Bead Solution

(Contd. of page 6)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

67-63-0 Isopropyl Alcohol

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 08/07/2020 / -

-US



Printing date 08/07/2020 Reviewed on 07/24/2020

1 Identification

· Product identifier

· Trade name: Washing Buffer 1

· Article number: 7022210H

· Application of the substance / the mixture For Research Use Only

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com

· Information department: Quality Control Department

· Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

Guanidine Hydrochloride

TRITON® X-100

· Hazard statements

Combustible liquid.

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

(Contd. on page 2)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 1

(Contd. of page 1)

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water. Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

· Dangerous components:			
CAS: 64-17-5 EINECS: 200-578-6 RTECS: KQ 6300000	ethyl alcohol	10-50%	
CAS: 50-01-1 EINECS: 200-002-3	Guanidine Hydrochloride	10-50%	
CAS: 9002-93-1 EC number: 618-344-0 RTECS: MD0907700	TRITON® X-100	≥3-<10%	

4 First-aid measures

- · Description of first aid measures
- · General information:

Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area.

- · After inhalation: If breathed in, supply fresh air. If not breathing, give artificial respiration. Consult a Doctor.
- · After skin contact: Wash off with soap and plenty of water. Consult a Doctor.

(Contd. on page 3)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 1

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Never give anything by mouth to an unconscious person. Rinse mouth with water. If symptoms persist consult a Doctor.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically, dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

• PAC-1:	
64-17-5 ethyl alcohol	1,800 ppm
· PAC-2:	
64-17-5 ethyl alcohol	3300* ppm
· PAC-3:	
64-17-5 ethyl alcohol	15000* ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid direct contect with skin. Use protective clothing including gloves, lab coat, face/eye protection.

- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- *· Storage:* 15-30°C
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions:

(Contd. on page 4)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 1

(Contd. of page 3)

 \cdot *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

64-17-5 ethyl alcohol

PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

 $The \ glove \ material \ has \ to \ be \ impermeable \ and \ resistant \ to \ the \ product / \ the \ substance / \ the \ preparation.$

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 1

(Contd. of page 4)

	(Contu. of pa
Physical and chemical prope	rties
Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Solution
Color:	According to product specification
Odor:	Indeterminate
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
Vapor pressure:	Not Applicable
Density:	Not Applicable
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	Not Determined
Water:	Not determined.
	Insoluble.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	50.0 %
Water:	25.0 %
VOC content:	50.00 %
	500.0 g/l / 4.17 lb/gal
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 1

(Contd. of page 5)

· Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:
--

ATE (Acute Toxicity Estimate)

Oral LD50 166 mg/kg

50-01-1 Guanidine Hydrochloride

Oral LD50 500 mg/kg (ATE)

9002-93-1 TRITON® X-100

Oral LD50 1,800 mg/kg (rat)
Dermal LD50 8,000 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

64-17-5 ethyl alcohol

I

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

9002-93-1 TRITON® X-100

Oral LC50 / 96 h 8.9 mg/L (Pimephales promelas)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 1

(Contd. of page 6)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3082
· UN proper shipping name	
$\cdot DOT$	Environmentally hazardous substance, liquid, n.o.s. (TRITON® X 100)
$\cdot ADR$	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (TRITON® X-100)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (TRITON® X-100), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (TRITON® X-100)
· Transport hazard class(es)	
DOT, ADR, IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles 9
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	Yes (DOT)
	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· Special precautions for user · EMS Number:	Warning: Miscellaneous dangerous substances and articles F-A,S-F
	(Contd. on page

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 1

	(Contd. of page
· Stowage Category	A
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	ты иррисионе.
· DOT	
· Remarks:	Special marking with the symbol (fish and tree).
· ADR	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
<u> </u>	LIQUID, N.O.S. (TRITON® X-100), 9, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethyl alcohol

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 9)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 1

(Contd. of page 8)

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethyl alcohol

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

Guanidine Hydrochloride

TRITON® X-100

· Hazard statements

Combustible liquid.

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 08/07/2020 / -
- · Abbreviations and acronyms:

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A



Printing date 08/07/2020 Reviewed on 07/24/2020

1 Identification

- · Product identifier
- · Trade name: Washing Buffer 2
- · Article number: 70222101
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com
- · Information department: Quality Control Department
- · Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

(Contd. on page 2)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 2

(Contd. of page 1)

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

· Dangerous components:

CAS: 64-17-5 ethyl alcohol EINECS: 200-578-6 RTECS: KQ 6300000

4 First-aid measures

- · Description of first aid measures
- · General information:

Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

US

50-90%

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 2

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically, dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
	ethyl alcohol	1,800 ppm
1185-53-1	Tris Hydrochloride	12 mg/m³
· PAC-2:		
	ethyl alcohol	3300* ppm
1185-53-1	Tris Hydrochloride	130 mg/m^3
· PAC-3:		
	ethyl alcohol	15000* ppm
1185-53-1	Tris Hydrochloride	790 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid direct contect with skin. Use protective clothing including gloves, lab coat, face/eye protection.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage: 15 30°C
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 2

· Specific end use(s) No further relevant information available.

(Contd. of page 3)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

64-17-5 ethyl alcohol

PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

US

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 2

(Contd. of page 4)

perties is sininate rmined. rmined. licable. licable. rmined. is not selfigniting. rmined.
ninate rmined. rmined. mined. licable. licable. rmined. is not selfigniting. rmined.
ninate rmined. rmined. mined. licable. licable. rmined. is not selfigniting. rmined.
ninate rmined. rmined. mined. licable. licable. rmined. is not selfigniting. rmined.
rmined. rmined. mined. licable. licable. rmined. is not selfigniting. rmined.
rmined. mined. licable. licable. rmined. is not selfigniting. rmined.
mined. licable. licable. rmined. is not selfigniting. rmined. % 6
licable. licable. rmined. is not selfigniting. rmined. % blue licable
licable. licable. rmined. is not selfigniting. rmined. % blue licable
licable. rmined. is not selfigniting. rmined. % % licable
rmined. is not selfigniting. rmined. % 6 licable
is not selfigniting. rmined. % b licable
rmined. % % licable
% % licable
% licable
% licable
licable
licable
rmined.
rmined.
rmined.
ermined
rmined.
rmined.
rmined.
e

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

(Contd. on page 6)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 2

(Contd. of page 5)

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

64-17-5 ethyl alcohol

1

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.

(Contd. on page 7)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 2

 $\cdot \textbf{Recommended cleansing agent:} \ \textit{Water, if necessary with cleaning agents}.$

(Contd. of page 6)

Transport information	
UN-Number DOT, ADR, IMDG, IATA	UN1170
UN proper shipping name DOT ADR IMDG IATA	Ethanol solutions 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) ETHANOL SOLUTION
Transport hazard class(es) DOT	
Class Label	3 Flammable liquids 3
ADR, IMDG, IATA Class	3 Flammable liquids
Label Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids 30 F-E,S-D A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
ADR Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 2

(Contd. of page 7)

 \cdot IMDG

· Limited quantities (LQ) · Excepted quantities (EQ) 5L

Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL

SOLUTION), 3, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethyl alcohol

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethyl alcohol

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02 GI

· Signal word Danger

(Contd. on page 9)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Washing Buffer 2

(Contd. of page 8)

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 08/07/2020 / -
- · Abbreviations and acronyms:

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

US



Printing date 08/07/2020 Reviewed on 07/24/2020

1 Identification

· Product identifier

· Trade name: Elution Buffer 1

· Article number: 7022210J

· Application of the substance / the mixture For Research Use Only

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com

· Information department: Quality Control Department

· Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

- · Classification of the substance or mixture

 The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

(Contd. on page 2)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Elution Buffer 1

(Contd. of page 1)

· Dangerous components: Void

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Flush eyes with running water as a precaution.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

1.00000000	Tenon Cruciu for Chemicus	
· PAC-1:		
1185-53-1	Tris Hydrochloride	12 mg/m ³
· PAC-2:		
1185-53-1	Tris Hydrochloride	130 mg/m³
· PAC-3:		
1185-53-1	Tris Hydrochloride	790 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.

(Contd. on page 3)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Elution Buffer 1

(Contd. of page 2)

- · Information about protection against explosions and fires: No special requirements.
- · Conditions for safe storage, including any incompatibilities
- · Storage: 15 30°C
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions:
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solution
Color: Colorless

Odor: Indeterminate
Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

(Contd. on page 4)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Elution Buffer 1

		(Contd. of page
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	See section 10	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
Vapor pressure:	Not Applicable	
Density:	Not Applicable	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with	Not Determined	
Water:	Fully miscible.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	99.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritant and potentially harmful
- · Sensitization: No sensitizing effects known.

(Contd. on page 5)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Elution Buffer 1

(Contd. of page 4)

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleaning agents.

· UN-Number		
· DOT, ADR, IMDG, IATA	Not regulated	
· UN proper shipping name		
· DOT, ADR, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA		
· Class	Not regulated	

(Contd. on page 6)

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Elution Buffer 1

(Contd. of page 5)

	· · · · · · · · · · · · · · · · · · ·	
· Packing group · DOT, ADR, IMDG, IATA	Not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Anne MARPOL73/78 and the IBC Code	x II of Not applicable.	

Not regulated

15 Regulatory information

· UN "Model Regulation":

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · **GHS label elements** Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

US

Printing date 08/07/2020 Reviewed on 07/24/2020

Trade name: Elution Buffer 1

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 08/07/2020 / -

...