12/30/2019	Kit Components	
Product code	Description	
7022900	MPure FFPE DNA Extraction Kit	
Components:		
7022210A	Proteinase K Solution	
7022400D	Lysis Buffer 3	
7022210F	Binding Buffer 1	
7022126D	Magnetic Bead Solution	
7022210H	Washing Buffer 1	
7022210I	Washing Buffer 2	
7022210J	Elution Buffer 1	
7022425	BL4 Buffer	
7022251	DP Buffer	




Printing date 12/30/2019

Reviewed on 04/12/2019

- **1** Identification
- · Product identifier
- · Trade name: Proteinase K Solution
- · Article number: 7022210A
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com
- Information department: Quality Control Department
 Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture



Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- Proteinase K
- · Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

[In case of inadequate ventilation] wear respiratory protection.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a poison center/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system:

· NFPA ratings (scale 0 - 4)



(Contd. on page 2)

⁻ US

Printing date 12/30/2019

Reviewed on 04/12/2019

(Contd. of page 1)

Trade name: Proteinase K Solution

· HMIS-ratings (scale 0 - 4)



• Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

· Dangerous compone	nts:	
	Glycerol	10-50%
EINECS: 200-289-5		
CAS: 39450-01-6	Proteinase K	≥2.5-<10%
EINECS: 254-457-8		

4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Flush eyes with running water as a precaution.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
- For personal protection see section 8.

\cdot Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

US

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Proteinase K Solution

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	(Contd. of page 2)
Pick up mechanically, dispose contaminated material as waste according to Section 13.	
Ensure adequate ventilation. • Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
56-81-5 Glycerol	$45 mg/m^3$
· PAC-2:	
56-81-5 Glycerol	180 mg/m ³
· PAC-3:	
56-81-5 Glycerol	1,100 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Avoid direct contact with skin and eyes. Prevent formation of aerosols.
- Information about protection against explosions and fires: No special requirements.
- · Conditions for safe storage, including any incompatibilities
- Storage: 15-30°C
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Further information about storage conditions:
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

56-81-5 Glycerol

PEL Long-term value: 15* 5** mg/m³

mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

(Contd. on page 4)

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Proteinase K Solution

· Breathing equipment:

(Contd. of page 3)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

· Information on basic physical and chemical properties

Appearance:	
Form:	Solution
Color:	According to product specification
Odor:	Indeterminate
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	See section 10
Explosion limits:	
Lower:	Not Applicable
Upper:	Not Applicable
Vapor pressure:	Not Applicable
Density:	Not Applicable
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	Not Determined
Water:	Soluble.
Partition coefficient (n-octanol/wa	tor). Not determined

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Proteinase K Solution

		(Contd. of page
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	45.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid
- No further relevant information available.
- Avoid contact with acids. Contact liberates a toxic gas.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- \cdot on the eye: Irritant and potentially harmful
- Sensitization: Sensitization possible through inhalation.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

 \cdot NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

Printing date 12/30/2019

Reviewed on 04/12/2019

(Contd. of page 5)

Trade name: Proteinase K Solution

· Mobility in soil No further relevant information available.

• Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

• *PBT*: Not applicable.

• **vPvB**: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleaning agents.

14 Transport information

Not regulated
Not regulated
Not regulated
Not regulated
Not applicable.
Not applicable.
f Not applicable.
Not regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 7)

US

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Proteinase K Solution

(Contd.	of page 6)

ACTIVE ACTIVE

7732-18-5 Water

· Hazardous Air Pollutants

56-81-5 Glycerol

None of the ingredients is listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

• TSCA (Toxic Substances Control Act):

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

- · Hazard-determining components of labeling:
- Proteinase K

· Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- · Precautionary statements
- Avoid breathing dust/fume/gas/mist/vapors/spray
- [In case of inadequate ventilation] wear respiratory protection.
- If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
- If experiencing respiratory symptoms: Call a poison center/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Quality Control Dept.

U

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Proteinase K Solution

• Date of preparation / last revision 12/30/2019 / -• Abbreviations and acronyms: Resp. Sens. 1: Respiratory sensitisation – Category 1

(Contd. of page 7)

US



Printing date 12/30/2019

Reviewed on 04/12/2019

- **1 Identification** Product identifier
- · Trade name: Lysis Buffer 3
- Article number: 7022400D
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com

• Information department: Quality Control Department • Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 *Hazard*(*s*) *identification*

· Classification of the substance or mixture

GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

 Hazard-determining components of labeling: Guanidine Hydrochloride TRITON® X-100
 Hazard statements Harmful if swallowed.

Causes skin irritation. Causes serious eye damage. • **Precautionary statements** Wash thoroughly after handling.

(Contd. on page 2)

US

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Lysis Buffer 3

(Contd. of page 1)
Do not eat, drink or smoke when using this product.
<i>Wear protective gloves / eye protection / face protection.</i>
If swallowed: Call a poison center/doctor if you feel unwell.
If on skin: Wash with plenty of water.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Rinse mouth.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 3 Fire = 0 Reactivity = 0 \cdot HMIS-ratings (scale 0 - 4)
HEALTH*3Health = *3FIRE0Fire = 0Reactivity $\overline{0}$ Reactivity = 0
· Other hazards
· Results of PBT and vPvB assessment
• PBT: Not applicable.
• vPvB : Not applicable.
3 Composition/information on ingredients
• Chemical characterization: Mixtures Description: Mixture: consisting of the following components

• Description: Mixture: consisting of the following components.

· Dangerous components:		
CAS: 50-01-1	Guanidine Hydrochloride	10-50%
EINECS: 200-002-3		
CAS: 9002-93-1	TRITON® X-100	10-50%
EC number: 618-344-0		
RTECS: MD0907700		

4 First-aid measures

- · Description of first aid measures
- General information:
- Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area.
- After inhalation: If breathed in, supply fresh air. If not breathing, give artificial respiration. Consult a Doctor. • After skin contact: Wash off with soap and plenty of water. Consult a Doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Never give anything by mouth to an unconscious person. Rinse mouth with water. If symptoms persist consult a Doctor.

(Contd. on page 3)

US

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Lysis Buffer 3

· Information for doctor

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Pick up mechanically, dispose contaminated material as waste according to Section 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

• Protective Action Criteria for Chemicals

• PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

7 Handling and storage

· Handling:

 \cdot Precautions for safe handling

Avoid direct contect with skin. Use protective clothing including gloves, lab coat, face/eye protection. • Information about protection against explosions and fires: No special requirements.

- · Conditions for safe storage, including any incompatibilities
- Storage: 15 30°C
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions:
- *Specific end use(s) No further relevant information available.*

(Contd. on page 4)

(Contd. of page 2)

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Lysis Buffer 3

(Contd. of page 3)

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see Section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eves and skin.

• Breathing equipment: Not required.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physic · General Information	
· Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Indeterminate
• Odor threshold:	Not determined.
· pH-value:	Not determined.

(Contd. on page 5)

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name:	Lysis	Buffer	3
-------------	-------	--------	---

		(Contd. of page
· Change in condition		
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
• Danger of explosion:	See section 10	
· Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
· Vapor pressure:	Not Applicable	
· Density:	Not Applicable	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with	Not Determined	
· Water:	Soluble.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	40.0~%	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

• Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Lysis Buffer 3

(Contd. of page 5)

		•	0	
Toxicol	omical	11/1	orma	tion
Ισπισι	uzicui	uu	<u>u mu</u>	uon

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 43 mg/kg

50-01-1 Guanidine Hydrochloride

Oral LD50 500 mg/kg (ATE)

9002-93-1 TRITON® X-100

Oral LD50 1,800 mg/kg (rat)

Dermal LD50 8,000 mg/kg (rabbit)

· Primary irritant effect:

 \cdot on the skin: Irritant to skin and mucous membranes.

 \cdot on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

 \cdot NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity:

9002-93-1 TRITON® X-100

Oral LC50 / 96 h 8.9 mg/L (Pimephales promelas)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

• *Mobility in soil* No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

(Contd. on page 7)

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Lysis Buffer 3

(Contd. of page 6)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Discard must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleaning agents.

UN-Number DOT, ADR, IMDG, IATA	UN3082
UN proper shipping name	
DOT	Environmentally hazardous substance, liquid, n.o.s.
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII N.O.S.
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII
	N.O.S. (TRITON® X-100), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII N.O.S.
Transport hazard class(es)	
DOT, ADR, IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles
Label	\boldsymbol{Q}
Label	9
Packing group	,
	9 111
Packing group DOT, ADR, IMDG, IATA Environmental hazards:) III
Packing group DOT, ADR, IMDG, IATA	III Yes (DOT)
Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant:	III Yes (DOT) Symbol (fish and tree)
Packing group DOT, ADR, IMDG, IATA Environmental hazards:	III Yes (DOT)
Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR):	III Yes (DOT) Symbol (fish and tree) Symbol (fish and tree)
Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA): Special precautions for user EMS Number:	III Yes (DOT) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles F-A,S-F
Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA): Special precautions for user	III Yes (DOT) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles
Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA): Special precautions for user EMS Number: Stowage Category	III Yes (DOT) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles F-A,S-F A
Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA): Special precautions for user EMS Number:	III Yes (DOT) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles F-A,S-F A

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Lysis Buffer 3

(Contd. of page	e /)	
-----------------	------	--

• Transport/Additional information	
·DOT	
· Quantity limitations	On passenger aircraft/rail: No limit
	On cargo aircraft only: No limit
Remarks:	Special marking with the symbol (fish and tree).
· ADR	
\cdot Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S., 9, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• **TSCA** (Toxic Substances Control Act): All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity: None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Lysis Buffer 3

	(Contd. of page
Hazard pictograms	
\wedge \wedge	
GHS05 GHS07	
01305 01307	
Signal word Danger	
Hazard-determining components of labeling:	
Guanidine Hydrochloride	
TRITON® X-100	
Hazard statements	
Harmful if swallowed.	
Causes skin irritation.	
Causes serious eye damage.	
Precautionary statements	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves / eye protection / face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if	present and easy to d
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
Dispose of contents/container in accordance with local/regional/national/international reg	gulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Quality Control Dept.

- · Date of preparation / last revision 12/30/2019 / -
- Abbreviations and acronyms: Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

US -



Printing date 12/30/2019

Reviewed on 04/12/2019

- **1** Identification
- · Product identifier
- Trade name: <u>Binding Buffer 1</u>
- Article number: 7022210F
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com

Information department: Quality Control Department
 Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

- Hazard-determining components of labeling: Isopropyl Alcohol
 Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.
- **Precautionary statements** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment.

(Contd. on page 2)

US

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Binding Buffer 1

(Contd. of page 1)
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Call a poison center/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 2 Fire = 3 Reactivity = 0 $HMIS-ratings (scale 0 - 4)$ $HEALTH = 2$ FIRE = 3 Fire = 3
$\begin{array}{c} \text{REACTIVITY} \\ \hline \end{array} Reactivity = 0 \end{array}$
· Other hazards
· Results of PBT and vPvB assessment
• PBT: Not applicable.
• vPvB: Not applicable.
3 Composition/information on ingredients
5 Composition/injormation on ingreatents
• Chemical characterization: Mixtures • Description: Mixture: consisting of the following components.
· Dangerous components:

CAS: 67-63-0 Isopropyl Alcohol EINECS: 200-661-7 RTECS: NT8050000

4 First-aid measures

· Description of first aid measures

· General information:

Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

(Contd. on page 3)

50-90%

[—] US –

Printing date 12/30/2019

Reviewed on 04/12/2019

(Contd. of page 2)

Trade name: Binding Buffer 1

- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically, dispose contaminated material as waste according to Section 13. Ensure adequate ventilation.
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
Protective Action Criteria for Chemicals

· PAC-1:	
67-63-0 Isopropyl Alcohol	400 ppm
631-61-8 Ammonium Acetate Anhydous	3.8 mg/m ³
• PAC-2:	
67-63-0 Isopropyl Alcohol	2000* ppm
631-61-8 Ammonium Acetate Anhydous	42 mg/m ³
• PAC-3:	
67-63-0 Isopropyl Alcohol	12000** ppm
631-61-8 Ammonium Acetate Anhydous	250 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Avoid direct contact with skin and eyes. Prevent formation of aerosols.

(Contd. on page 4)

US

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Binding Buffer 1

(Contd. of page 3)

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage: 15 30°C
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

67-63-0 Isopropyl Alcohol

PEL Long-term value: 980 mg/m³, 400 ppm

- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Binding Buffer 1

• Eye protection:



(Contd. of page 4)



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and	chemical properties	
General Information		
• Appearance: Form:	Liquid	
Color:	According to product specification	
· Odor:	Indeterminate	
· Odor threshold:	Not determined.	
pH-value:	Not determined.	
-		
Change in condition Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
· Vapor pressure:	Not Applicable	
Density:	Not Applicable	
Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
Solubility in / Miscibility with	Not Determined	
Water:	Soluble.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
• Other information	No further relevant information available.	

(Contd. on page 6)

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Binding Buffer 1

(Contd. of page 5)

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 Isopropyl Alcohol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

119

3

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Binding Buffer 1

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Discard must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleaning agents.

UN-Number		
DOT, ADR, IMDG, IATA	UN1219	
UN proper shipping name		
DOT	Isopropanol	
ADR	1219 ISOPROPANOL (ISOPROPYL ALCOHOL)	
IMDG, IATA	ISOPROPANOL (ISOPROPYL ALCOHOL)	
Transport hazard class(es)		
DOT		
3		
Class	3 Flammable liquide	
Class Label	3 Flammable liquids 3	
	5	
ADR, IMDG, IATA		
Class	3 Flammable liquids	
Label	3	
Packing group		
DOT, ADR, IMDG, IATA	11	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Flammable liquids	
Danger code (Kemler):	30	
EMS Number:	F- E , S - D	
Stowage Category	В	
Transport in bulk according to Annex		
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: Forbidden	
	On cargo aircraft only: Forbidden	

US

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Binding Buffer 1

(Contd. of page 7)

· ADR	
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	0
\cdot Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 Isopropyl Alcohol

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

631-61-8 Ammonium Acetate Anhydous

· TLV (Threshold Limit Value established by ACGIH)

67-63-0 Isopropyl Alcohol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

D

A4

US

Safety Data Sheet acc. to OSHA HCS

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Binding Buffer 1

Hazand misto sugar	(Contd. of page 8)
Hazard pictograms	
\wedge	
< (%) < () >	
\checkmark \checkmark	
GHS02 GHS07	
Signal word Danger	
Hazard-determining components of labeling:	
Isopropyl Alcohol	
Hazard statements	
Highly flammable liquid and vapor.	
Causes serious eye irritation.	
May cause drowsiness or dizziness.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/sho	wer.
<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pre-	sent ana easy to ac
Continue rinsing.	
Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep container rightly closed. Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regula	tions.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 12/30/2019 / -
- Abbreviations and acronyms: Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3



Printing date 12/30/2019

Reviewed on 06/13/2019

- **1** Identification
- · Product identifier
- · Trade name: Magnetic Bead Solution
- · Article number: 7022126D
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com
- · Information department: Quality Control Department • Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

- · Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 0	Health = 0
FIRE 0	Fire = 0
REACTIVITY 0	Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

(Contd. on page 2)

US

Printing date 12/30/2019

Reviewed on 06/13/2019

Trade name: Magnetic Bead Solution

(Contd. of page 1)

≥2.5-<10%

CAS: 67-63-0 Isopropyl Alcohol EINECS: 200-661-7

· Dangerous components:

RTECS: NT8050000

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Flush eyes with running water as a precaution.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate
 ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
 For personal protection see section 8.
 Emirormental proceduring: Do not allow to enter several surface or around water.
- $\cdot \textit{Environmental precautions: } Do not allow to enter sewers/ \textit{surface or ground water.}$
- \cdot Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

• PAC-2: 67-63-0 Isopropyl Alcohol • PAC-3:	· PAC-1:	
67-63-0 Isopropyl Alcohol 2000*1 • PAC-3: 2000*1	67-63-0 Isopropyl Alcohol	400 ppm
· PAC-3:	· PAC-2:	
	67-63-0 Isopropyl Alcohol	2000* ppm
67-63-0 Isopropyl Alcohol 12000**	· PAC-3:	
	67-63-0 Isopropyl Alcohol	12000** ppm

(Contd. on page 3)

Printing date 12/30/2019

Reviewed on 06/13/2019

(Contd. of page 2)

Trade name: Magnetic Bead Solution

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special requirements.
- · Conditions for safe storage, including any incompatibilities
- · Storage: 15-30°C
- Requirements to be met by storerooms and receptacles: No special requirements.
- Further information about storage conditions:
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see Section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

67-63-0 Isopropyl Alcohol

PEL Long-term value: 980 mg/m³, 400 ppm

- REL Short-term value: 1225 mg/m³, 500 ppm
 - Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

(Contd. on page 4)

115

Printing date 12/30/2019

Reviewed on 06/13/2019

Trade name: Magnetic Bead Solution

(Contd. of page 3)

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Solution
Color:	According to product specification
Odor:	Indeterminate
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	See section 10
Explosion limits:	
Lower:	Not Applicable
Upper:	Not Applicable
Vapor pressure:	Not Applicable
Density:	Not Applicable
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	Not Determined
Water:	Not determined.
	Insoluble.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	95.0 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

-US

Printing date 12/30/2019

Reviewed on 06/13/2019

Trade name: Magnetic Bead Solution

· Conditions to avoid

- No further relevant information available.
- Avoid contact with acids. Contact liberates a toxic gas.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritant and potentially harmful
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 Isopropyl Alcohol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Can not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. of page 4)

3

Printing date 12/30/2019

Reviewed on 06/13/2019

(Contd. of page 5)

Trade name: Magnetic Bead Solution

· Uncleaned packagings:

· Recommendation: Discard must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated	
· Packing group · DOT, ADR, IMDG, IATA	Not regulated	
Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	Not regulated	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 Isopropyl Alcohol

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 7)

US –

Printing date 12/30/2019

Reviewed on 06/13/2019

Trade name: Magnetic Bead Solution

(Contd. of page 6)

A4

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

67-63-0 Isopropyl Alcohol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

• Signal word Void

• Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Quality Control Dept.

· Date of preparation / last revision 12/30/2019 / -



Printing date 12/30/2019

Reviewed on 04/12/2019

- **1** Identification
- · Product identifier
- Trade name: <u>Washing Buffer 1</u>
- Article number: 7022210H
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com

• Information department: Quality Control Department • Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Flam. Liq. 4 H227 Combustible liquid.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

- Hazard-determining components of labeling: Guanidine Hydrochloride TRITON® X-100
- Hazard statements Combustible liquid. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.
- Precautionary statements
 Keep away from flames and hot surfaces. No smoking.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.

(Contd. on page 2)

⁻ US

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Washing Buffer 1

(Contd. of page 1)
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
Rinse mouth.
If on skin: Wash with plenty of water.
Specific treatment (see on this label).
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
$\begin{array}{c} 2 \\ 2 \\ 0 \end{array}$ $\begin{array}{c} Health = 2 \\ Fire = 2 \\ Reactivity = 0 \end{array}$
· HMIS-ratings (scale 0 - 4)
HEALTH 2 FIRE 2 Fire 2 REACTIVITY 0
· Other hazards
· Results of PBT and vPvB assessment
· PBT : Not applicable.
• vPvB : Not applicable.
3 Composition/information on ingredients
• Chemical characterization: Mixtures • Description: Mixture: consisting of the following components.

· Dangerous components	X:	
CAS: 64-17-5 EINECS: 200-578-6 RTECS: KQ 6300000	ethyl alcohol	10-50%
CAS: 50-01-1 EINECS: 200-002-3	Guanidine Hydrochloride	10-50%
CAS: 9002-93-1 EC number: 618-344-0 RTECS: MD0907700	TRITON® X-100	10%

4 First-aid measures

· Description of first aid measures

• General information:

Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area.

· After inhalation: If breathed in, supply fresh air. If not breathing, give artificial respiration. Consult a Doctor.

· After skin contact: Wash off with soap and plenty of water. Consult a Doctor.

(Contd. on page 3)

US

Printing date 12/30/2019

Reviewed on 04/12/2019

(Contd. of page 2)

Trade name: Washing Buffer 1

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • *After swallowing:*

- Never give anything by mouth to an unconscious person. Rinse mouth with water. If symptoms persist consult a Doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures		
Wear protective equipment. Keep unprotected persons away.		
• Environmental precautions: Do not allow to enter sewers/ surface or ground water.		
· Methods and material for containment and cleaning up:		
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).		
Pick up mechanically, dispose contaminated material as waste according to Section 13.		
Ensure adequate ventilation.		
· Reference to other sections		
See Section 7 for information on safe handling.		
See Section 8 for information on personal protection equipment.		
See Section 13 for disposal information.		
· Protective Action Criteria for Chemicals		
· PAC-1:		
64-17-5 ethyl alcohol	1,800 ppm	
· PAC-2:		
64-17-5 ethyl alcohol	3300* ppm	
· PAC-3:		
64-17-5 ethyl alcohol	15000* ppm	

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Avoid direct contect with skin. Use protective clothing including gloves, lab coat, face/eye protection. • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- · Conditions for safe storage, including any incompatibilities

• *Storage:* 15-30°*C*

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions:

(Contd. on page 4)

US

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Washing Buffer 1

(Contd. of page 3)

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see Section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

64-17-5 ethyl alcohol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Washing Buffer 1

(Contd. of page 4)

Information on basis physical and	chomical proportion			
· Information on basic physical and chemical properties · General Information				
Appearance:				
Form: Solution				
Color:	According to product specification			
Odor:	Indeterminate			
Odor threshold:	Not determined.			
pH-value:	Not determined.			
Change in condition				
Boiling point/Boiling range:	Undetermined.			
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Not applicable.			
Decomposition temperature:	Not determined.			
Auto igniting:	Product is not selfigniting.			
Danger of explosion:	Not determined.			
Explosion limits:				
Lower:	3.5 Vol %			
Upper:	15 Vol %			
Vapor pressure:	Not Applicable			
Density:	Not Applicable			
Relative density	Not determined.			
Vapor density	Not determined.			
Evaporation rate	Not determined.			
Solubility in / Miscibility with	Not Determined			
Water:	Not determined.			
	Insoluble.			
Partition coefficient (n-octanol/wa	ter): Not determined.			
Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
Solvent content:				
Organic solvents:	30.0 %			
Water:	35.0 %			
VOC content:	30.00 %			
	300.0 g/l / 2.50 lb/gal			
Other information	No further relevant information available.			

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

US

Printing date 12/30/2019

Reviewed on 04/12/2019

(Contd. of page 5)

Trade name: Washing Buffer 1

· Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 85.2 mg/kg

50-01-1 Guanidine Hydrochloride

Oral LD50 500 mg/kg (ATE)

9002-93-1 TRITON® X-100

Oral LD50 1,800 mg/kg (rat)

Dermal LD50 8,000 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

64-17-5 ethyl alcohol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:

9002-93-1 TRITON® X-100

Oral LC50 / 96 h 8.9 mg/L (Pimephales promelas)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 7)

US –

Printing date 12/30/2019

Reviewed on 04/12/2019

(Contd. of page 6)

Trade name: Washing Buffer 1

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

• Results of PBT and vPvB assessment

• *PBT:* Not applicable. • *vPvB:* Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Discard must be made according to official regulations.

· UN-Number	
· DOT, ADR, IMDG, IATA	UN3082
· UN proper shipping name	
DOT	Environmentally hazardous substance, liquid, n.o.s. (TRITON® X 100)
· ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII N.O.S. (TRITON® X-100)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIL N.O.S. (TRITON® X-100), MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII N.O.S. (TRITON® X-100)
· Transport hazard class(es)	
· DOT, ADR, IMDG, IATA	
DOT, ADR, IMDG, IATA	
· DOT, ADR, IMDG, IATA	9 Miscellaneous dangerous substances and articles
	9 Miscellaneous dangerous substances and articles 9
Class	•
· Class · Label	•
• Class • Label • Packing group	9
• Class • Label • Packing group • DOT, ADR, IMDG, IATA	9
 Class Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: 	9 III Yes (DOT) Symbol (fish and tree)
 Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR): 	9 III Yes (DOT) Symbol (fish and tree) Symbol (fish and tree)
 Class Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: 	9 III Yes (DOT) Symbol (fish and tree)
 Class Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR): 	9 III Yes (DOT) Symbol (fish and tree) Symbol (fish and tree)

-1

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Washing Buffer 1

	(Contd. of page
· Stowage Category	A
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
DOT Remarks:	Special marking with the symbol (fish and tree).
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (TRITON® X-100), 9, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethyl alcohol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 9)

⁻ US

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Washing Buffer 1

(Contd. of page 8)

US

64-17-5 ethyl alcohol	Α
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Harmonized Hazard pictograms	d System (GHS).
GHS07	
Signal word Warning	
Hazard-determining components of labeling:	
Guanidine Hydrochloride	
TRITON® X-100	
Hazard statements	
Combustible liquid.	
Harmful if swallowed.	
Causes skin irritation.	
Causes serious eye irritation.	
Precautionary statements	
Keep away from flames and hot surfaces. – No smoking.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
If on skin: Wash with plenty of water.	
Specific treatment (see on this label).	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen	nt and easy to a
Continue rinsing.	
If skin irritation occurs: Get medical advice/attention.	
Take off contaminated clothing and wash it before reuse.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ons.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Quality Control Dept.

· Date of preparation / last revision 12/30/2019 / -

• Abbreviations and acronyms: Flam. Liq. 4: Flammable liquids – Category 4 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A



Printing date 12/30/2019

Reviewed on 04/12/2019

- **1 Identification** Product identifier
- Trade name: Washing Buffer 2
- · Article number: 70222101
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com

• Information department: Quality Control Department • Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Danger
Hazard statements
Highly flammable liquid and vapor. Causes serious eye irritation.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Wash thoroughly after handling.


(Contd. on page 2)

⁻ US

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Washing Buffer 2



4 First-aid measures

- · Description of first aid measures
- · General information:
- Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

US

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Washing Buffer 2

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

	recautions, protective equipment and emergency procedures ective equipment. Keep unprotected persons away.		
	ental precautions:		
	plenty of water.		
	ow to enter sewers/ surface or ground water.		
	nd material for containment and cleaning up:		
	h liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).		
	chanically, dispose contaminated material as waste according to Section 13.		
	equate ventilation.		
	to other sections		
	17 for information on safe handling.		
	a 8 for information on personal protection equipment.		
	13 for disposal information.		
· Protective	Action Criteria for Chemicals		
· PAC-1:			
64-17-5	ethyl alcohol	1,800 ppm	
1185-53-1	1185-53-1 Tris Hydrochloride 12 mg/m³		
· PAC-2:			
	ethyl alcohol	3300* ppm	
64-17-5		3300* ppm 130 mg/m ³	
64-17-5	ethyl alcohol		
64-17-5 1185-53-1 • PAC-3:	ethyl alcohol		

7 Handling and storage

· Handling:

· Precautions for safe handling

Avoid direct contect with skin. Use protective clothing including gloves, lab coat, face/eye protection. • Information about protection against explosions and fires:

- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities

• Storage: 15 - 30°C

• Requirements to be met by storerooms and receptacles: Store in a cool location.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

- US -

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Washing Buffer 2

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see Section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

64-17-5 ethyl alcohol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

(Contd. of page 3)

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Washing Buffer 2

(Contd. of page 4)

Physical and chemical prope	rties			
· Information on basic physical and	chemical properties			
· General Information				
· Appearance:				
Form: Solution				
Color:	Colorless			
· Odor:	Indeterminate			
· Odor threshold:	Not determined.			
· pH-value:	Not determined.			
· Change in condition				
Boiling point/Boiling range:	Undetermined.			
· Flash point:	Not applicable.			
· Flammability (solid, gaseous):	Not applicable.			
• Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not selfigniting.			
Danger of explosion:	Not determined.			
• Explosion limits:				
Lower:	3.5 Vol %			
Upper:	15 Vol %			
· Vapor pressure:	Not Applicable			
· Density:	Not Applicable			
· Relative density	Not determined.			
· Vapor density	Not determined.			
Evaporation rate	Not determined.			
Solubility in / Miscibility with	Not Determined			
· Water:	Soluble.			
Partition coefficient (n-octanol/wa	ter): Not determined.			
· Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
· Solvent content:				
Organic solvents:	80.0 %			
VOC content:	80.00 %			
	800.0 g/l / 6.68 lb/gal			
• Other information	No further relevant information available.			

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

No further relevant information available. Avoid contact with acids. Contact liberates a toxic gas.

(Contd. on page 6)

Printing date 12/30/2019

Reviewed on 04/12/2019

(Contd. of page 5)

1

Trade name: Washing Buffer 2

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

64-17-5 ethyl alcohol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

- Results of PB1 and VPVB asso
- *PBT:* Not applicable. • *vPvB:* Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- *Recommendation:* Can not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.

(Contd. on page 7)

US

• Recommended cleansing agent: Water, if necessary with cleaning agents.

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Washing Buffer 2

(Contd. of page 6)

Transport information	
UN-Number DOT, ADR, IMDG, IATA	UN1170
UN proper shipping name DOT ADR IMDG IATA	Ethanol solutions 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) ETHANOL SOLUTION
Transport hazard class(es)	
Class	3 Flammable liquids
Label ADR, IMDG, IATA	3
Class Label	3 Flammable liquids 3
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Danger code (Kemler): EMS Number: Stowage Category	Warning: Flammable liquids 33 F-E,S-D A
Transport in bulk according to Annex A MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
ADR Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Washing Buffer 2

(Contd. of page 7)

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 \cdot Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• **TSCA** (**Toxic Substances Control Act**): All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethyl alcohol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethyl alcohol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

AЗ

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Washing Buffer 2

(Contd. of pa	(ge 8
Hazard statements	
Highly flammable liquid and vapor.	
Causes serious eye irritation.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to Continue rinsing.	do.
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Quality Control Dept.

· Date of preparation / last revision 12/30/2019 / -

• Abbreviations and acronyms:

Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

US ·



Printing date 12/30/2019

Reviewed on 04/12/2019

- **1** Identification
- · Product identifier
- Trade name: Elution Buffer 1
- · Article number: 7022210J
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com

· Information department: Quality Control Department • Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

(Contd. on page 2)

US

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Elution Buffer 1

(Contd. of page 1)

· Dangerous components: Void

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Flush eyes with running water as a precaution.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

• Environmental precautions: Dilute with plenty of water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

The contraction of the margin of the method was	
· PAC-1:	
1185-53-1 Tris Hydrochloride	12 mg/m ³
· PAC-2:	
1185-53-1 Tris Hydrochloride	130 mg/m ³

• PAC-3:

1185-53-1 Tris Hydrochloride

7 Handling and storage

· Handling:

· Precautions for safe handling No special measures required.

(Contd. on page 3)

 $790 \, mg/m^3$

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Elution Buffer 1

· Information about protection against explosions and fires: No special requirements.

· Conditions for safe storage, including any incompatibilities

• Storage: 15 - 30°C

• Requirements to be met by storerooms and receptacles: No special requirements.

· Further information about storage conditions:

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see Section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

 Information on basic physical and General Information 	chemical properties	
· Appearance:		
Form:	Solution	
Color:	Colorless	
Odor:	Indeterminate	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	

(Contd. of page 2)

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Elution Buffer 1

	(Contd. of page
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	See section 10
· Explosion limits:	
Lower:	Not Applicable
Upper:	Not Applicable
· Vapor pressure:	Not Applicable
· Density:	Not Applicable
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	Not Determined
· Water:	Fully miscible.
· Partition coefficient (n-octanol/wa	t ter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	99.0 %
VOC content:	0.00~%
	0.0 g/l / 0.00 lb/gal
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid
- No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritant and potentially harmful
- · Sensitization: No sensitizing effects known.

(Contd. on page 5)

US

Printing date 12/30/2019

Reviewed on 04/12/2019

(Contd. of page 4)

Trade name: Elution Buffer 1

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- *Recommendation:* Can not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Discard must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleaning agents.

· UN-Number · DOT, ADR, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated	

Printing date 12/30/2019

· Packing group

Reviewed on 04/12/2019

Trade name: Elution Buffer 1

	(Contd. of page 5)
Not regulated	
Not applicable.	

• Special precautions for user

• DOT, ADR, IMDG, IATA • Environmental hazards:

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

· UN "Model Regulation":

Not applicable. Not regulated

Not applicable.

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements Void

· Hazard pictograms Void

• Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 12/30/2019

Reviewed on 04/12/2019

Trade name: Elution Buffer 1

(Contd. of page 6)

US

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.


· Department issuing SDS: Quality Control Dept.

· Date of preparation / last revision 12/30/2019 / -



Printing date 12/30/2019

Reviewed on 12/30/2019



Printing date 12/30/2019

Reviewed on 12/30/2019

Trade name: BL4 Buffer

		Contd. of page 1)		
	in a well-ventilated area.			
Wear eye protection /				
If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.				
IF INHALED: Remove person to fresh air and keep comfortable for breathing.				
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.				
Continue rinsing.	, , , , , , , , , , , , , , , , , , ,			
Immediately call a po	ison center/doctor.			
	ontainer in accordance with local/regional/national/international regulations.			
· Classification system				
· NFPA ratings (scale	0 - 4)			
Health	= 3			
Fire =				
3 1 Reactiv	-ity = 1			
· HMIS-ratings (scale	0 - 4)			
HEALTH *3 Health	n = *3			
	FIRE 1 $Fire = 1$			
REACTIVITY 1 Reactivity = 1				
• Other hazards	. Other hazards			
· Results of PBT and v	PvB assessment			
• PBT: Not applicable.				
• vPvB: Not applicable				
3 Composition/info	rmation on ingredients			
5 Composition info	induction on ingreatents			
• Chemical characteriz	ation: Substances			
• CAS No. Description				
BL4 Buffer				
· Chemical characteriz				
• Description: Mixture: consisting of the following components.				
· Dangerous componen		10.50%		
CAS: 57-13-6	Urea	10-50%		
EINECS: 200-315-5				
RTECS: YR6250000		1000		
CAS: 151-21-3	Sodium Dodecyl Sulfate, Molecular Biology Reagent	≥3-<10%		
EINECS: 205-788-1 RTECS: WT1050000				
RIECS: WI1050000				

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. If breathed in, supply fresh air. If not breathing, give artificial respiration. Consult a Doctor.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

Printing date 12/30/2019

Reviewed on 12/30/2019

Trade name: BL4 Buffer

• After swallowing:

Never give anything by mouth to an unconscious person. Rinse mouth with water. If symptoms persist consult a Doctor.

- · Information for doctor
- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Pick up mechanically, dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
57-13-6	Urea	30 mg/m ³
151-21-3	Sodium Dodecyl Sulfate, Molecular Biology Reagent	3.9 mg/m ³
1185-53-1	Tris Hydrochloride	12 mg/m ³
· PAC-2:		
57-13-6	Urea	280 mg/m ³
151-21-3	Sodium Dodecyl Sulfate, Molecular Biology Reagent	43 mg/m ³
1185-53-1	Tris Hydrochloride	130 mg/m ³
· PAC-3:		
57-13-6	Urea	1,700 mg/m ³
151-21-3	Sodium Dodecyl Sulfate, Molecular Biology Reagent	260 mg/m ³
1185-53-1	Tris Hydrochloride	790 mg/m ³

(Contd. on page 4)

(Contd. of page 2)

Printing date 12/30/2019

Reviewed on 12/30/2019

(Contd. of page 3)

Trade name: BL4 Buffer

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Avoid direct contact with skin and eyes. Prevent formation of aerosols.
- Information about protection against explosions and fires: No special requirements.
- · Conditions for safe storage, including any incompatibilities
- · Storage: 15-30°C
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions:
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see Section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

57-13-6 Urea

WEEL Long-term value: 10 mg/m³

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

US

Printing date 12/30/2019

Reviewed on 12/30/2019

(Contd. of page 4)

Trade name: BL4 Buffer

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	According to product specification	
Color:	According to product specification	
Odor:	Indeterminate	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	See section 10	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
Vapor pressure:	Not Applicable	
Density:	Not Applicable	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with	Not Determined	
Water:	Not determined.	
	Insoluble.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	71.0 %	
VOC content:	0.00~%	

US

Printing date 12/30/2019

Reviewed on 12/30/2019

(Contd. of page 5)

Trade name: BL4 Buffer

• Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 7,733 mg/kg (rabbit)

Inhalative LC50/4 h 20 mg/L

151-21-3 Sodium Dodecyl Sulfate, Molecular Biology Reagent

 Oral
 LD50
 1,200 mg/kg (rat)

 Dermal
 LD50
 580 mg/kg (rabbit)

 Inhalative
 LC50/4 h
 1.5 mg/L (ATE)

• Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 12/30/2019

Reviewed on 12/30/2019

Trade name: BL4 Buffer

(Contd. of page 6)

12	Ecol	logical	inf	ormation
	2001	- Siem	-	

· Toxicity

· Aquatic toxicity:

ATE (Acute Toxicity Estimate)

Oral LC50/96 h 57.3-113 mg/L (Oncorhynchus mykiss)

151-21-3 Sodium Dodecyl Sulfate, Molecular Biology Reagent

Oral LC50/96 h 4.3-8.5 mg/L (Oncorhynchus mykiss)

29 mg/L (Pimephales promelas)

· Persistence and degradability No further relevant information available.

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Discard must be made according to official regulations.

· UN-Number		
· DOT, ADR, IMDG, IATA	UN-	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, ADR, IMDG, IATA	Not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	

Printing date 12/30/2019

Reviewed on 12/30/2019

(Contd. of page 7)

Trade name: BL4 Buffer

• Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Not regulated

None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
57-13-6 Urea	ACTIV
151-21-3 Sodium Dodecyl Sulfate, Molecular Biology Reagent	ACTIV
1185-53-1 Tris Hydrochloride	ACTIV
7732-18-5 Water	ACTIV
Hazardous Air Pollutants	·
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

57-13-6 Urea

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- US

Ш

US

Safety Data Sheet acc. to OSHA HCS

Printing date 12/30/2019

Reviewed on 12/30/2019

Trade name: BL4 Buffer

· Signal word Danger	(Contd. of page 8)
· Hazard-determining components of labeling:	
Sodium Dodecyl Sulfate, Molecular Biology Reagent	
· Hazard statements	
Harmful if swallowed or if inhaled.	
Causes serious eye damage.	
· Precautionary statements	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear eye protection / face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen	t and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ns.
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 12/30/2019 / -
- Abbreviations and acronyms: Acute Tox. 4: Acute toxicity – Category 4 Eye Dam. 1: Serious eye damage/eye irritation – Category 1



Printing date 12/30/2019

Reviewed on 12/30/2019

- **1** Identification
- · Product identifier
- · Trade name: <u>DP Buffer</u>
- · Article number: 7022251
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com

Information department: Quality Control Department
 Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

2 Hazard(s) identification

· Classification of the substance or mixture



Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

- · Hazard-determining components of labeling:
- n-Hexadecane
- Hazard statements

May be fatal if swallowed and enters airways.

· Precautionary statements

If swallowed: Immediately call a poison center/doctor.

Do NOT induce vomiting. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



(Contd. on page 2)

Printing date 12/30/2019

Reviewed on 12/30/2019

(Contd. of page 1)

Trade name: DP Buffer

· HMIS-ratings (scale 0 - 4)



• Other hazards

· Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

DP Buffer

- · Chemical characterization: Mixtures
- Description: Mixture: consisting of the following components.

· Dangerous components:

CAS: 544-76-3 n-Hexadecane EINECS: 208-878-9 RTECS: ML9200000 50-90%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Flush eyes with running water as a precaution.
- After swallowing: If symptoms persist consult doctor.

· Information for doctor

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

- For personal protection see section 8.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Printing date 12/30/2019

Reviewed on 12/30/2019

Trade name: DP Buffer

 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically, dispose contaminated material as waste according to Section 13. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals 	(Contd. of page 2)
· PAC-1:	
544-76-3 n-Hexadecane	35 mg/m ³
· PAC-2:	
544-76-3 n-Hexadecane	380 mg/m ³
· PAC-3:	
544-76-3 n-Hexadecane	$2,800 mg/m^3$

7 Handling and storage

· Handling:

· Precautions for safe handling

Avoid direct contect with skin. Use protective clothing including gloves, lab coat, face/eye protection.

- · Information about protection against explosions and fires: No special requirements.
- · Conditions for safe storage, including any incompatibilities
- Storage: 15-30°C
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions:
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- Breathing equipment: Not required. • Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

US

Printing date 12/30/2019

Reviewed on 12/30/2019

(Contd. of page 3)

Trade name: DP Buffer

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection: Goggles recommended during refilling.*

9 Physical and chemical properties

General Information		
Appearance:		
Form:	Liquid	
Color:	According to product specification	
Odor:	Indeterminate Not determined	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	See section 10	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
Vapor pressure:	Not Applicable	
Density:	Not Applicable	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with	Not Determined	
Water:	Not determined.	
	Insoluble.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Other information	No further relevant information available.	

(Contd. on page 5)

Printing date 12/30/2019

Reviewed on 12/30/2019

Trade name: DP Buffer

(Contd. of page 4)

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritant and potentially harmful
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 12/30/2019

Reviewed on 12/30/2019

Trade name: DP Buffer

(Contd. of page 5)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Discard must be made according to official regulations.

14 Transport information

· UN-Number · DOT, ADR, IMDG, IATA	Not regulated
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated
· Transport hazard class(es)	
· DOT, ADR, IMDG, IATA · Class	Not regulated
· Packing group · DOT, ADR, IMDG, IATA	Not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	II of Not applicable.
· UN "Model Regulation":	Not regulated

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act):
- 544-76-3 n-Hexadecane

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 7)

ACTIVE

US

Printing date 12/30/2019

Reviewed on 12/30/2019

Trade name: DP Buffer

(Contd. of page 6)

- \cdot Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Danger
- *Hazard-determining components of labeling: nHexadecane*
- · Hazard statements
- May be fatal if swallowed and enters airways.
- Precautionary statements
 If swallowed: Immediately call a poison center/doctor.
 Do NOT induce vomiting.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.
 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 12/30/2019 / -
- Abbreviations and acronyms:
- Asp. Tox. 1: Aspiration hazard Category 1