

Printing date 06/25/2020 Reviewed on 06/25/2020

## 1 Identification

- · Product identifier
- · Trade name: EcoLume<sup>TM</sup> Liquid Scintillation Fluid
- · Article number: 882470
- · Application of the substance / the mixture For Research Use Only
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MP Biomedicals, LLC 29525 Fountain Parkway Solon, OH 44139 United States www.mpbio.com
- · Information department: Quality Control Department
- · Emergency telephone number: CHEMTREC: 1-800-424-9300 (1-703-527-3887)

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

Ethoxylated Nonylphenol

Phenylxylylethane-PXE

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves / eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

(Contd. on page 2)

Printing date 06/25/2020 Reviewed on 06/25/2020

### Trade name: EcoLume<sup>TM</sup> Liquid Scintillation Fluid

(Contd. of page 1)

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture of substances listed below with nonhazardous additions.

Mixture: consisting of the following components.

· Dangerous components:		
CAS: 9016-45-9	Ethoxylated Nonylphenol	10-50%
NLP: 500-024-6		
CAS: 6196-95-8	Phenylxylylethane-PXE	≥2.5-<10%

## 4 First-aid measures

- · Description of first aid measures
- · General information:

Consult your Doctor. Show the safety data sheet to the Doctor. Away from the dangerous area.

- · After inhalation: If breathed in, supply fresh air. If not breathing, give artificial respiration. Consult a Doctor.
- · After skin contact: Wash off with soap and plenty of water. Consult a Doctor.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Never give anything by mouth to an unconscious person. Rinse mouth with water. If symptoms persist consult a Doctor.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 06/25/2020 Reviewed on 06/25/2020

Trade name: EcoLume<sup>TM</sup> Liquid Scintillation Fluid

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically, dispose contaminated material as waste according to Section 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

68648-87-3	Linear Alkylbenzene	2.3 mg/m	
9016-45-9	Ethoxylated Nonylphenol	43 mg/m³	
6196-95-8	196-95-8 Phenylxylylethane-PXE		
92-71-7	71-7 2,5-diphenyloxazole		
13280-61-0	1,4-bis(4-methyl-alpha-styryl)benzene		
PAC-2:			
68648-87-3	Linear Alkylbenzene	26 mg/m³	
9016-45-9	Ethoxylated Nonylphenol	470 mg/m	
6196-95-8	Phenylxylylethane-PXE	330 mg/m	
92-71-7	92-71-7 2,5-diphenyloxazole		
13280-61-0	1,4-bis(4-methyl-alpha-styryl)benzene		
PAC-3:			
68648-87-3	Linear Alkylbenzene	$150 \text{ mg/m}^3$	
9016-45-9	Ethoxylated Nonylphenol	5,400 mg/m	
6196-95-8	Phenylxylylethane-PXE 2,00		
92-71-7	2,5-diphenyloxazole 160 r		
13280-61-0	1,4-bis(4-methyl-alpha-styryl)benzene	790 mg/m³	

Printing date 06/25/2020 Reviewed on 06/25/2020

Trade name: EcoLume<sup>TM</sup> Liquid Scintillation Fluid

(Contd. of page 3)

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid direct contect with skin. Use protective clothing including gloves, lab coat, face/eye protection.

- · Information about protection against explosions and fires: No special requirements.
- · Conditions for safe storage, including any incompatibilities
- · Storage: 15-30°C
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions:
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 06/25/2020 Reviewed on 06/25/2020

 $\textit{Trade name: EcoLume}^{\text{\tiny TM}} \ \textit{Liquid Scintillation Fluid}$ 

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles

Physical and chemical proper	ties
Information on basic physical and	chemical properties
General Information	
Appearance: Form:	Timid
rorm: Color:	Liquid According to product specification
Odor:	Indeterminate
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	See section 10
Explosion limits:	
Lower:	Not Applicable
Upper:	Not Applicable
Vapor pressure:	Not Applicable
Density:	Not Applicable
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	Not Determined
Water:	Not determined.
	Insoluble.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC content:	0.00 %
Other information	0.0 g/l / 0.00 lb/gal No further relevant information available.

Printing date 06/25/2020 Reviewed on 06/25/2020

Trade name: EcoLume<sup>TM</sup> Liquid Scintillation Fluid

(Contd. of page 5)

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

No further relevant information available.

Avoid contact with acids. Contact liberates a toxic gas.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
ATE (Acua	ATE (Acute Toxicity Estimate)		
Oral	LD50	1,243 mg/kg	
Dermal	<i>LD50</i>	>3,388 mg/kg (rat)	
Inhalative	LC50/4 h	262 mg/L	
68648-87-3 Linear Alkylbenzene			

68648-87-	68648-87-3 Linear Alkylbenzene		
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
		>10,200 mg/kg (rabbit)	
9016-45-9	9016-45-9 Ethoxylated Nonylphenol		
Oral	LD50	500 mg/kg (ATE)	
6196-95-8	6196-95-8 Phenylxylylethane-PXE		
Oral	LD50	500 mg/kg (ATE)	
Inhalative	LC50/4 h	11 mg/L (ATE)	

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 06/25/2020 Reviewed on 06/25/2020

Trade name: EcoLume<sup>TM</sup> Liquid Scintillation Fluid

(Contd. of page 6)

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Discard must be made according to official regulations.

· UN-Number · DOT, ADR, IMDG, IATA	UN3082
· UN proper shipping name	
$\cdot DOT$	Environmentally hazardous substance, liquid, n.o.s. (Ethoxylate
	Nonylphenol, Phenylxylylethane-PXE)
$\cdot ADR$	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII
	N.O.S. (Ethoxylated Nonylphenol, Phenylxylylethane-PXE)
$\cdot$ <i>IMDG</i>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII
	N.O.S. (Ethoxylated Nonylphenol, Phenylxylylethane-PXE
	MARINE POLLUTANT
$\cdot$ IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII
	N.O.S. (Ethoxylated Nonylphenol, Phenylxylylethane-PXE)

(Contd. on page 8)

Printing date 06/25/2020 Reviewed on 06/25/2020

Trade name: EcoLume<sup>TM</sup> Liquid Scintillation Fluid

(Contd. of page 7)

· Transport hazard class(es)

· DOT, ADR, IMDG, IATA



9 Miscellaneous dangerous substances and articles · Class

· Label

· Packing group

· DOT, ADR, IMDG, IATA III

· Environmental hazards:

· Special marking (ADR):

· Special precautions for user

· Marine pollutant: Yes

> Symbol (fish and tree) Symbol (fish and tree)

· Special marking (IATA): Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles

· EMS Number: F-A,S-F· Stowage Category  $\boldsymbol{A}$ 

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot DOT$ 

*Special marking with the symbol (fish and tree).* · Remarks:

 $\cdot ADR$ 

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (ETHOXYLATED NONYLPHENOL,

PHENYLXYLYLETHANE-PXE), 9, III

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

9016-45-9 Ethoxylated Nonylphenol

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

(Contd. on page 9)

Printing date 06/25/2020 Reviewed on 06/25/2020

Trade name: EcoLume<sup>TM</sup> Liquid Scintillation Fluid

(Contd. of page 8)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

Ethoxylated Nonylphenol

Phenylxylylethane-PXE

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves / eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 06/25/2020 Reviewed on 06/25/2020

Trade name: EcoLume<sup>TM</sup> Liquid Scintillation Fluid

(Contd. of page 9)

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Quality Control Dept.
- · Date of preparation / last revision 06/25/2020 / -
- · Abbreviations and acronyms:

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

TIC